

INDEX OF AUTHORS' NAMES.

ABSTRACTS. 1894. Parts I & II.

And also to Transactions, 1894 (marked TRANS.); and to such papers as appeared in the Proceedings during the Session 1893—1894 (Nos. 128 to 141; Nov., 1893, to July, 1894), but not in Transactions (marked PROC.).

A.

Abbes, H., iodoterephthalic acid and iodoterephthalic acid, i, 131.
 Abenius, W., the formoins, i, 286.
 Adam, P., sodium borosalicylate, i, 465.
 — emetics, i, 499.
 Adolphi, W., aspen tar, i, 433.
 Adrian, C., influence of subdivision of food on metabolism, ii, 287.
 Ahrens, F. B., sparteine, i, 150.
 — action of chloroform and potash on piperidine, i, 617.
 — action of piperidine on ethylic acetoacetate, i, 617.
 Aignan, A., specific rotation of dissolved substances, ii, 337.
 Aitken, A. P., estimation of moisture and oil in linseed cake, ii, 336.
 Albert, R., phenolphthaleinanilide and orcinolphthaleinanilide, i, 201.
 Albert, R. See also Fischer.
 Albertoni, P., and I. Novi, metabolism in Italian peasants, ii, 288.
 Alessandri, P. E., estimation of organic matters in potable waters, ii, 256.
 Allain le-Canu, J., action of bromine on paraxylene, i, 326.
 Allaire, H. See Rousseau.
 Allen, A. H., examination of urine for small quantities of sugar, ii, 488.
 Allhusen, F. E. See Ruhemann.
 Altschul, M., and V. Meyer, action of chlorine on ethylic alcohol, i, 62.
 Ammelburg, A., 1:4-amidoacetonaphthalidesulphonic acid, i, 40.
 Ammelburg, A. See also Claus, Gaess.
 Ampola, G., compounds of picric acid with anethoil, i, 508.
 Anderlini, F., action of aromatic

orthodiamines on some anhydrides of bibasic acids, i, 375.
 Anderlini, F., action of ethylenediamine on dicarboxylic acids, i, 490.
 — action of ethylenediamine on anhydrides of bibasic acids, i, 490.
 — suberic, azelaic, and sebacic acids, i, 499.
 — apparatus for distillation in a vacuum, ii, 311.
 — laboratory apparatus, ii, 329.
 Anderlini, F. See also Nasini.
 André, G. See Berthelot.
 Andreocci, A., santonin, i, 143.
 — new isomerides of santonin and santonos acid, i, 205.
 Angeli, A., compounds containing the group $C_2N_2O_2$, i, 26.
 — conversion of allyl compounds into propenyl compounds, i, 75.
 — action of nitrous acid on unsaturated compounds, i, 75.
 — action of cyanogen on hydrazine, i, 149.
 — distillation in a vacuum, ii, 39.
 — reaction of hydroxylamine, ii, 67.
 — method of formation of silver nitride, ii, 93.
 — reaction of indoles, ii, 127.
 Angeli, A., and E. Levi, action of iodic acid on acetonedicarboxylic acid, i, 67.
 Angeli, A., and Magnani, action of chloride of sulphur on acetylacetone, i, 547.
 Anschutz, R., and H. Pauly, conversion of ethylic dioxysuccinate into ethylic oxymalonate and ethylic oxalate by elimination of carbonic oxide, i, 403.

- Antipoff, J. A., dopplerite from Karakala, ii, 457.
 — Jamesonite and plumbocuprite from Semipalatinsk, ii, 457.
 Antony, U., and Q. Sestini, mercurous sulphide, ii, 319.
 Antony, U., and G. Turi, action of mercurous chloride on silver chloride in presence of ammonia, ii, 94.
 Apel, M., and B. Tollens, polyhydric alcohols synthesised from aldehydes and ketones by means of formaldehyde, i, 353.
 Apetz, H., and C. Hell, action of nitric acid on aldehydes and ketones, i, 316.
 Appiani, G. See Menozzi.
 Araki, T., effects of diminution of oxygen in the organism, ii, 388.
 Arctowski, H., solubility of mercuric haloids in carbon bisulphide, ii, 308.
 — some properties of carbon bisulphide, ii, 315.
 — solubility of iodine in carbon bisulphide, nature of solution, ii, 377.
 — artificial preparation of hæmatite, ii, 388.
 Argutinsky, P., elementary composition of ox flesh, ii, 105.
 Arnstein, H., dry distillation of calcium trimethylgallate, i, 527.
 Armstrong, H. E., presidential address, TRANS., 336.
 — the action of bromine on azobenzene—a correction, PROC., 1893, 206.
 — the origin of colour. X. Coloured hydrocarbons, PROC., 1893, 206.
 Armstrong, H. E., and A. Lapworth, the interaction of acid chlorides and nitrates, PROC., 1893, 255.
 Arnold, J. O., and A. A. Read, the chemical relations of carbon and iron, TRANS., 788.
 Arrhenius, S., proportionality between the reduction of the freezing point and the osmotic pressure, ii, 228.
 — the hydrolysis of salts of weak acids and bases, ii, 271.
 Arthus, M., caseïns and fibrins, i, 310.
 — proteïds of milk, ii, 23.
 Asboth, A. v., process for the full analysis of root crops, ii, 127.
 Aschan, O., Bredt's camphor formula, i, 422.
 — formation of camphorquinone by the oxidation of camphocarboxylic acid with potassium permanganate, i, 422.
 — isomeric camphoric acids, i, 538.
 Aschan, O., action of alkalis on bromocamphoric anhydride, i, 615.
 Aschan, O., and J. Brühl, tautomerism of oxymethylene compounds, i, 613.
 Aston, Miss E., and W. Ramsay, the molecular formulæ of some liquids as determined by their molecular surface energy, TRANS., 167.
 Astre, C., preparation of blue copper acetate, i, 356.
 Aubert, A. B., and D. W. Colby, mule's milk, ii, 59.
 Auger, V. See Béhal.
 Auwers, K., cryoscopic molecular weight determinations, ii, 133.
 Auwers, K., and C. Beger, application of Friedel and Crafts' reaction to thiophenol ether, i, 466.
 Auwers, K., and T. V. Bredt, dithienyls, i, 444.
 Auwers, K., and A. Clos, the carboxybenzilehydrazones, i, 377.
 Auwers, K., and A. Jacob, stereoisomeric butanetetracarboxylic acids, i, 362.
- ### B.
- Bach, A., source of atmospheric hydrogen peroxide, ii, 186.
 Bach, O., valuation of zinc dust, ii, 400.
 Baeyer, A. v., orientation in the terpene series, i, 45, 92, 252, 297. 535.
 — reduction products of benzene, i, 174.
 — the terpenes of the carvone group, i, 535.
 Baeyer, A., and O. Manasse, action of nitrosyl chloride on menthone, i, 522.
 Bailey, G. H., stability of the oxides considered in relation to the periodic law, TRANS., 315.
 — volatilisation of salts during evaporation, TRANS., 445.
 Baisch, K., carbohydrates of normal urine, ii, 393.
 Baker, H. B., influence of moisture on chemical change, TRANS., 611.
 Bakker, G., thermodynamical derivatives of the law of Van der Waals, ii, 408.
 — the function α in Van der Waals' equation, ii, 439.
 — relations between the laws of Mariotte, Gay Lussac, and Joule, ii, 440.
 Balbiano, L., oxidation of camphoric acid, i, 614.
 Balbiano, L., and G. Marchetti, pyrazole compounds, i, 302.

- Baldracco, G.**, action of nitrous acid on ethylic acetylglutarate, i, 228.
- Ballard, H. H.** See Noyes.
- Baly, E. C. C.**, and **J. F. Chorley**, new thermometer for high temperatures, ii, 185.
- Bamberger, E.**, action of diazobenzene on nitromethane, i, 183.
- benzenylamidoxime, i, 185.
- benzenediazoic acid, i, 238.
- nitration of aniline, i, 239.
- benzenediazoic acid from nitryl chloride and aniline, i, 283.
- isomerism of diazo-compounds, i, 295.
- diazo- and isodiazo-compounds, i, 329.
- relationships between nitrosamines, diazo-acids, and isodiazo-compounds, i, 369.
- reduction of nitro-compounds, i, 373.
- diazobenzene perbromide, i, 412.
- phenylhydroxylamine, i, 412.
- the diazotising process, i, 511.
- stereoisomerism of the diazo-compounds. Constitution of isodiazo-compounds, i, 580.
- the stereoisomeric diazo-amido-compounds of Hantzsch, i, 580.
- constitution of benzenediazoic acid, i, 581.
- Bamberger, E.** (and **B. Berlé**), new mode of formation of nitrosobenzene, i, 367.
- Bamberger, E.**, and **W. Frew**, synthesis of isocoumarin and of some derivatives of isoquinoline, i, 192.
- Bamberger, E.**, and **C. Goldschmidt**, synthesis of isoquinoline, i, 552.
- Bamberger, E.**, and **P. de Gruyter**, constitution of the cyanophenylhydrazines and of the triazole-compounds derived from them, i, 23.
- formazyl methyl ketone, i, 98.
- Bamberger, E.**, and **F. Hoffmann**, dihydroanthrol and dihydroanthramine, i, 139.
- Bamberger, E.**, and **F. Kuhlemann**, diformazyl and its relations to diamidrazone, i, 127.
- Bamberger, E.**, and **J. Müller**, action of diazobenzene on acetaldehyde, pyruvic acid, and the hydrazone of the latter, i, 182.
- Bamberger, E.**, and **A. Voss**, ketotetrahydronaphthalene, i, 419.
- Bamberger, E.**, and **S. Williamson**, decahydroquinoline, i, 427.
- Bamberger, E.**, and **H. Witter**, formazyl phenyl ketone, i, 98.
- Bamberger, M.**, xanthorrhiza resins, i, 47.
- Bancroft, W. D.**, chemical potential of metals, ii, 4.
- Bandalin, G.** See Klimenko.
- Bandrowski, E.**, oxidation of paraphenylenediamine, i, 236.
- Bansa, C.**, potassium double salts of hypophosphoric acid, ii, 279.
- Banse, G.**, derivatives of paracyanotoluene, i, 574.
- Barbier, P.**, and **L. Bouveault**, condensation of isovaleraldehyde with acetone, i, 224.
- natural unsaturated ketone. i, 400.
- the aldehyde from oil of lemon grass, i, 401.
- constitution of licareol, i, 435.
- geraniol from the oil of *Andropogon schænanthus*, i, 435.
- Barbier, P.** See also Monnet.
- Barillé**, estimation of nitric acid in waters, ii, 429.
- Baroni, G.**, Beckman's method for determining molecular weights, ii, 87.
- Barral, E.**, hexachlorobenzene dichloride, i, 406.
- Barrell, F. R.**, **G. L. Thomas**, and **S. Young**, separation of three liquids by fractional distillation, ii, 269.
- Barthe, L.**, derivatives of ethylic cyanacetate and ethylic cyanosuccinate, i, 492.
- Bartolotti, P.**, kamala and rottlerin, i, 301.
- Baruch, J.**, constitution of stearolic acid, i, 170.
- behenolic acid, i, 171.
- Bary, P.**, composition of saline solutions deduced from their indices of refraction, ii, 132.
- Baskerville, C.**, rapid method for the estimation of phosphorus in titaniferous iron ores, ii, 253.
- separation of titanium from iron ii, 401.
- estimation of zirconium by means of sulphurous acid, ii, 401.
- Bauer, F. W.** See Engler.
- Bauer, R. W.**, sugar from apple pectin, ii, 112.
- Baumert, G.**, and **K. Halpern**, seeds of *Chenopodium album*, ii, 363.
- chenopodine: detection of chenopodium seed in flours, ii, 370.
- Baur, A.**, nitro-derivatives of tertiarybutylbenzene, i, 445.
- dinitrobutyltoluene, i, 445.
- bromobutyltoluene, i, 445.
- bye-products formed in the preparation of butyltoluene, i, 446.

- Baur, A., ethylbutylbenzene, i, 446.
 — phenols and ethers of butyltoluene, i, 449.
 — butylnaphthalene, i, 468.
 Bayley, W. S., actinolite magnetite schists in Minnesota, ii, 20.
 Bayliss, W. M., and L. Hill, development of heat in salivary glands, ii, 358.
 Beach, F. E., use of cupric nitrate in the voltameter: electrochemical equivalent of copper, ii, 37.
 Beadle, C. See Cross.
 Béchamp, A., casein and the organic phosphorus of casein, i, 216.
 — cause of the variation of the rotatory power of the solutions of certain optically active substances: rotatory power of amorphous substances, ii, 2.
 Bechert, C., condensation of aldehydes with cyanides, i, 488.
 Beck, C., and H. Benedict, influence of muscular work on the excretion of sulphur, ii, 57.
 Beck, P. See Freund.
 Becker, A. See Sachsse.
 Beckh, W., and J. Tafel, diazoamidobenzene, i, 581.
 Beckmann, E., acidyl-derivatives of β -benzoylhydroxylamine, i, 24.
 — salicylaldoxime, i, 27.
 — molecular transformation of oximes into amides, i, 240.
 — reaction between α -aldoxime ethers and phenylthiocarbimide, i, 511.
 — camphorpinacone, i, 614.
 Beckurts, H., cacao bean, ii, 363.
 Beensch, L. See Fischer.
 Beeson, J. L., action of the salts of diazobenzene on methylic and ethylic alcohols, i, 329.
 — constituents of the nodes and internodes of the sugar-cane, ii, 395.
 Beger, C. See Auwers.
 Béhal, A., and V. Auger, symmetrical β -diketones of the aromatic series, i, 134.
 Béhal, A., and E. Choay, ethylphenols, i, 280.
 — — melting points of some phenols and their benzoates, i, 449.
 — — an official creosote from beech and oak, i, 508.
 — — creosotes from beech-tar and oak-tar, i, 575.
 Behrend, R., and J. Schmitz, oxidation of aliphatic aldehydes and ketones by nitric acid, i, 108.
 Behrend, R. See also Platner.
 Behrens, H., microchemical examination of quinine, ii, 491.
 Behrens, H., and A. R. van Linge, cementation steel, ferrochromium, ferrotungsten, chromium steel, and tungsten steel, ii, 452.
 Behrens, M. See Michaelis.
 Beketoff, N., action of hydrogen on caesium oxide, ii, 234.
 Bell, J. C., estimation of moisture in wood pulp, ii, 330.
 Bellati, M., and S. Lussana, specific heats and latent heats of change of state of solid silver and copper sulphides and selenides, ii, 306.
 Bemmelen, J. M. van, hydrogel and crystalline hydrate of copper oxide, ii, 191.
 Benedict, H. See Beck.
 Beneville, J. S. de, copper analysis, ii, 297.
 — analysis of pig copper, brass, and bronze, ii, 298.
 Bentivoglio, T. See Magnanini.
 Berghell, H., analysis of nepheline, ii, 322.
 Berlé, B. See Bamberger.
 Berlioz, A., and E. Lepinois, combinations of chlorine in urine, ii, 247.
 Berthelot, isomerides of propylene and their sulphates, i, 393.
 — trimethylene and propylene and a new class of hydrocarbons: dynamic isomerism, i, 433.
 — substitution of alkyl radicles in union with carbon and nitrogen, i, 567.
 — phenylhydrazine, i, 581.
 — sublimation of red and yellow mercuric iodides, ii, 94.
 — exchange of gases between living organisms and the surrounding atmosphere, ii, 153.
 — minimum E.M.F. required to decompose electrolytes, ii, 223, 267.
 — urea formation, ii, 326.
 Berthelot and G. André, formation of carbonic anhydride and absorption of oxygen by leaves after their removal from the plant, ii, 151.
 Berthelot and Matignon, nitromethane and its homologues, i, 158.
 — — barium nitride, ii, 352.
 Bertin-Sans, H., and J. Moitessier, synthesis of hæmoglobins, i, 216.
 — — displacement of the carbonic oxide in carboxyhaemoglobin, i, 216.
 Bertoni, G., formation of ethereal salts by double decomposition, i, 2.
 — preparation of methylic nitrate, i, 484.
 Bertram, J., and E. Gildemeister, rose oil, i, 253.
 Bertram, J., and H. Walbaum, camphene in essential oils, i, 201.
 — — isoborneol, i, 204.

- Besson, A., preparation of tetrachloroethylene and its oxidation by ozone, i, 481.
 — bromine derivatives of tetrachloroethylene, i, 561.
 Best, O., hydroxyterpenylic acid, i, 361.
 Besthorn, E., and G. Jaeglé, 4'-parahydroxyphenylquinoline, i, 344.
 Bettink, H. W., and F. C. E. v. Emden, toxicological detection of phosphorus, ii, 160.
 Bevad, I., synthesis of nitroparaffins, i, 102.
 Bevan, E. J., detection of cotton seed oil in lard, ii, 335.
 Bevan, E. J. See also Cross.
 Bial, M., formation of sugar in the liver, ii, 106.
 Bicket, H., obituary notice of, TRANS., 382.
 Bidet, A., laboratory apparatus, ii, 230.
 Biernacki, E., estimation of the volume of blood corpuscles and plasma, ii, 288.
 Biesenhal, detection of piperazine in urine, ii, 126.
 — physiological action of piperazine, ii, 468.
 Biéatrix, A., some derivatives of methylic gallate and dibromogallate, i, 130.
 Biginelli, P., isomeride of fraxetin and its derivatives, i, 246.
 — ethylic benzalbiuretamidocrotonate and benzalbiuret, i, 374.
 — methahydroxyacetophenone, i, 521.
 Biltz, E. See Schacht.
 Biltz, H., phenylhydrazone of salicylaldehyde, i, 584.
 — phosphoric anhydride, ii, 313.
 Bischoff, C. A., derivatives of mono- and bibasic-hydroxy acids, i, 513.
 Bischoff, C. A., and P. Walden, anomalous condensations, i, 403.
 — derivatives of glycollic acid, i, 493.
 — derivatives of lactic acid, i, 495.
 — derivatives of the two α -hydroxybutyric acids, i, 496.
 — derivatives of malic acid, i, 514.
 — derivatives of tartaric acid, i, 514.
 — derivatives of mandelic acid, i, 525.
 Bistrzycki, A., and G. J. Oehlert, condensation products of orthoaldehydic acids with phenols, i, 600.
 Bistrzycki, A., and F. Ulfers, diacetanilide, i, 181.
 Bittó, B. v., estimation of lecithin in plants, ii, 402.
 Bittó, B. v. See also Liebermann.
 Bladin, J. A., oxidation of azimido-toluene, i, 76.
 Blaizot, toxicity and therapeutic use of sodium fluoride, ii, 60.
 Blau, F., constitution of nicotine, i, 628.
 Bloch, desiccation of starch, i, 161.
 Blondel, M., phosphochromates, ii, 193.
 Blumenthal, F., succinic acid, ii, 465.
 Bodenstein, M., decomposition of hydrogen iodide by heat, ii, 12.
 Bodländer, G., gas baroscope and its applications, ii, 440, 471.
 Böhm, E. See Kehlmann.
 Böniger, M., 1:2-amidonaphthol-4-sulphonic acid, i, 199.
 Boeris, G., action of nitrous acid on anethoil, i, 72.
 Boeseken, I., hydrogen copper quinolate, i, 259.
 Böttiger, C., lagic acid, i, 13.
 — preparation of glyoxylic acid, i, 402.
 — detection of glyoxylic acid, i, 402.
 — action of ammonium hydrogen sulphide on dichloroacetic acid, i, 491.
 — purification of thorium oxide, ii, 238.
 Bogdan, basic copper selenate and basic cobalt selenate, ii, 16.
 Bogorodsky, A., hydrates of lithium chloride and bromide, ii, 138.
 Bohr, C., gases of the air bladder of fishes, ii, 144.
 Bokorny, T., non-organised active proteid material, ii, 109.
 — physiological action of tellurous acid, ii, 208.
 Bondzyński, S., estimation of fat in cheese, ii, 300.
 Bondzyński, S., and L. Zoja, crystallisation of egg-albumin, i, 309.
 — oxidation of proteids by potassium permanganate, i, 479.
 Bonnet, A., lead oxide as a mordant, ii, 46.
 Boot, J. C., modification of Romijn's apparatus for the estimation of dissolved oxygen in water, ii, 484.
 Borissow, P., physiological action of hydrazine and dibenzoyldiamide, ii, 394.
 — estimation of cystin in urine, ii, 403.
 Bornträger, A., volumetric estimation of copper with sodium sulphide, ii, 120.
 — checking Fehling's solution, ii, 122.
 — use of sodium hydrogen tartrate in alkalimetry, ii, 251.

- Bornträger, A., estimation of alcohol in wines, ii, 259.
 — reaction of normal and basic lead acetate with sodium carbonate, sulphate, and phosphate, ii, 488.
 — reactions of normal and basic lead acetate with sodium carbonate, sulphate, or phosphate in the presence of invert sugar, ii, 489.
 Bornträger, H., recovery of molybdcic acid from residues and remarks on phosphoric acid estimation, ii, 366.
 Boruttan, H., chemistry of muscle, ii, 146.
 Bossi, A. L. See Dunstan.
 Bouchardat, G., presence of camphene in oil of spike, i, 140.
 Bouchardat, G., and J. Lafont, synthetic borneols, i, 255.
 — action of sulphuric acid on camphene, i, 612.
 Bourgeois, E., and J. Dambmann, the solid state of some aldoximes, i, 77.
 Bourquelot, E., presence in fungi of a ferment analogous to emulsin, ii, 63.
 — soluble ferments secreted by *Aspergillus niger* and *Penicillium glaucum*, ii, 109.
 Bourru. See Grimaux.
 Bouveault, L., constitution of dicyanides of dimolecular acids, i, 14.
 — stereoisomerism in the camphor group, i, 421.
 — optical isomerism of closed chain compounds, i, 422.
 Bouveault, L. See also Barbier.
 Boyd, D. R., reduction of paratoluene-azodimethylaniline, TRANS., 879.
 Bradbury, R. H., action of molybdcic acid on potassium chromate and dichromate, ii, 455.
 Bräutigam and Edelmann, detection of horse flesh, ii, 335.
 Brand, J., maltol, i, 270.
 Braun, F., electrical conductivity of gases, ii, 222.
 Brauner, B., fluoroplumbates and free fluorine, TRANS., 393.
 Brauns, R., minerals of the serpentine, chlorite, and mica groups, ii, 284.
 Bredig, G., stoichiometry of the ions, ii, 226.
 — affinity coefficients of bases, ii, 229.
 Bredig, G. See also Cohen.
 Bredt, J., constitution of camphor and its derivatives, i, 141, 613.
 Bredt T. V. See Auwers.
 Breed, Miss M. B. See Keiser.
 Breukeleveen, M. van, octomethylenediamine, i, 568.
 Bricout, G., ceric dichromate and the separation of cerium from lanthanum, ii, 139.
 Bridge, J. L., ethers of quinoneoxime, i, 25.
 Broche, C., tribromacetoneitrile: derivatives of polymeric trichloracetoneitrile, i, 562.
 Brochet, A., mechanism of the action of chlorine on isobutyric alcohol, i, 484.
 Brod, J., action of halogen acids on fibrin, i, 263.
 Brodie, T. G. See Halliburton.
 Brown, A. J., the specific character of the fermentative functions of yeast cells, TRANS., 911.
 Brown, H. T., and G. H. Morris, functions of hops used in the dry hopping of beer, ii, 205.
 Brown, J. T., obituary notice of, TRANS., 382.
 Browning, P. E., separation of copper from cadmium by the iodide method, ii, 68.
 — reduction of vanadic acid by tartaric acid, and its titration in alkaline solution with iodine, ii, 483.
 Brühl, J. W., properties and constitution of hydroxylamine and its homologues, i, 9.
 — β -ethylhydroxylamine, i, 272.
 — constitution of benzene, i, 366.
 — properties and constitution of hydroxylamine and its homologues, ii, 13.
 — refraction constants and molecular volumes of benzene derivatives, ii, 366.
 — preparation of free hydroxylamine, ii, 313.
 — tautomerism, ii, 433.
 Brühl, J. W. See also Aschan.
 Bruner, L., heat of fusion of some organic compounds, ii, 439.
 Brunhes, J., and J. Dussy, variations in the viscosity of fused sulphur, ii, 343.
 Brunlechner, A., analyses of hornblende, ii, 460.
 Brunner, R., albumone, i, 480.
 Brunton, T. L., and F. W. Tunnicliffe, physiological action of pyridine, ii, 467.
 Bruyn, C. A. Lobry de, direct formation of β -alkylhydroxylamines, i, 569.
 — aromatic nitro-derivatives: dinitrobenzenes, i, 573.
 — analysis of phosphor-tin, ii, 217.
 — analysis of mixtures of sperm oil and mineral oils, ii, 218.
 — stability and preparation of free hydroxylamine, ii, 278.
 Bruyn, C. A. Lobry de, and A. P. N.

- Franchimont, crystalline amido-derivatives of carbohydrates, i, 221.
 Bruyn, C. A. Lobry de, and F. H. van Leent, trinitrobenzene and 1 : 3 : 5-dinitrophenol, i, 574.
 Bryant, A. P. See Day.
 Brzostowicz, O. See Ladenburg.
 Bucher, R. v., chitenine, i, 152.
 Bucherer, H., synthesis of hexahydrobenzoic acid, i, 366.
 Buchner, E., *cis*-glutaconic acid, i, 322.
 Buchner, E., and H. Dessauer, action of ethereal diazoacetates on ethereal salts of unsaturated acids, i, 347.
 Buchner, E., and H. Witter, action of ethereal diazoacetates on ethereal salts of unsaturated acids, i, 346.
 Buckingham, E., fluorescence, ii, 338.
 Budden, E. R., and H. Hardy, colorimetric estimation of minute quantities of lead, copper, tin, and iron, ii, 481.
 Bülow, K., glycono-phosphoric acid, ii, 467.
 — physiological action of certain derivatives of benzaldehyde, ii, 467.
 Bult, H. J. See Rideal.
 Buntrock, A. See Witt.
 Burch, G. J., and J. W. Dodgson, the action of concentrated acids on certain metals when in contact with each other, *Proc.*, 1894, 84.
 Burcker, E., stability of aqueous solutions of mercuric chloride, ii, 419.
 Burgess, W. T., apparatus for collecting samples of water some distance beneath the surface, ii, 485.
 Burkert, O. See Stoermer.
 Busch, M., synthesis of compounds containing carbon-nitrogen rings from orthamidobenzylamine and its derivatives, i, 146.
 — reaction between carbon bisulphide and primary hydrazines, i, 625.
 Buss, H. See Werner.
 Buttenberg, W. P., condensation of dichloroacetal with benzene and toluene, i, 502.

C.

- Cain, J. C., action of hydrogen chloride on ethylic alcohol, ii, 133.
 — action of chlorine on phosphonium iodide, ii, 447.
 Calvert. See Grace Calvert.
 Calvert, S. See Jackson.
 Cambier, R. See Trillat.

- Cameron, A., estimation of silica, ii, 366.
 Campbell, E. D., estimation of nickel in nickel-steel, ii, 298.
 Campbell, E. D., and P. F. Trowbridge, higher oxides of nickel, ii, 238.
 Campbell, G. F. See Wells.
 Cannizzaro, S., constitution of santonic acid, i, 52.
 — constitution of santonin, i, 256.
 Canzoneri, F., molecular weight of mercurous nitrate, ii, 139.
 Capelle, E. See Herrenschmidt.
 Capstick, J. H., ratio of the specific heats of paraffins, &c., ii, 38.
 Carcano, L., estimation of nitrogen and proteids in milk and its products, ii, 76.
 Carlson, M., acids from benzoyl-acetonedicyanhydrin, i, 465.
 Carnell, W. C. See Hooker.
 Carnot, A., composition of wavellites and turquoises, ii, 355.
 Carr, F. H. See Dunstan.
 Carrara, G., influence of halogens on the optical values of double bonds, ii, 1.
 — polymeric thiocarbonyl chloride, ii, 15.
 — electrolytic dissociation and optical rotatory power, ii, 178.
 — velocity of reaction between ethylic iodide and sulphide, ii, 309.
 — effect of neutral solvents on the velocity of formation of triethylsulphine iodide, ii, 310.
 Carrara, G., and I. Zoppellari, velocity of action in non-homogeneous systems: decomposition of sulphuryl chloride, ii, 412.
 Carrara, G. See also Nasini.
 Carswell, T. R., new class of compounds resulting from the action of iodine in presence of alkali on phenols, i, 177.
 Castellaneta, E., action of phthalic anhydride on paramidophenol and the corresponding ethers, i, 187.
 Causse, H., mesoxalic acid and bismuth mesoxalate, i, 569.
 Cavalier, J., ethylphosphonic acid, i, 484.
 Cavallo, W. See Hummel.
 Cazeneuve, P., galloparatoluidide, i, 78.
 — bismuth gallanilide, i, 194.
 — oximidephenolic colouring matters from gallanilide and galloparatoluidide, i, 285.
 — dibromogallanilide and its triacetyl-derivative, i, 331.

- Cazeneuve, P., blue lakes derived from dibromogallianilide: reactions of polyphenols, i, 415.
- Chabrière, C., chemical changes in cartilage during ossification, ii, 325.
- Chalmot, G. de, natural oxycelluloses, i, 399.
- pentosans in plants, ii, 291.
- pentosans in soils, ii, 292.
- Chancel, F., derivatives of propylamine, i, 567.
- Chapman, A. C., and J. F. Rolfe, analytical constants of seal oil, ii, 490.
- Chappuis, J., determination of critical temperatures by means of the critical index of refraction, ii, 339.
- Chardin, D. A., hydroxynaphthaqueinoneimidobenzoic acid, i, 532.
- Charpy, C., saline solutions, ii, 8.
- Charpy, G., allotropic changes of iron under the influence of heat, ii, 237.
- allotropic changes of iron, ii, 237, 319.
- molecular changes of carbon and iron accompanying the tempering of steel, ii, 420.
- relation between the density of a saline solution and the molecular weight of the dissolved salt, ii, 441.
- Chassevant, A., new double chlorides, ii, 18.
- Chassevant, A., and C. Richet, influence of metallic salts on lactic fermentation, ii, 63.
- Chatin, A., and A. Muntz, nature and causes of the green colour of oysters, ii, 148.
- Chattaway, F. D., preparation of β -chloronaphthalene, TRANS., 875.
- note on β -mercury dinaphthyl and $\beta\beta$ -dinaphthyl, TRANS., 877.
- Chattaway, F. D., and W. H. Lewis, phenylnaphthalene. Part II. β -Phenylnaphthalene, TRANS., 869.
- Chattaway, W., T. H. Pearmain, and C. G. Moor, Valenta's acetic acid test, ii, 490.
- Chauveau, A., urea formation, ii, 326.
- Chiaromonte, T., effect of calcium sulphite on alcoholic fermentation, ii, 61.
- Chittenden, R. H., proteolytic action of bromelin, ii, 63.
- Chittenden, R. H., and F. S. Meara, atmid-albumoses, i, 264.
- Chittenden, R. H., and L. B. Mendel, proteolysis of crystallised globulin, ii, 462.
- Choay, E. See Béal.
- Chorley, J. F. See Baly.
- Ciamician, G., and P. Silber, hydrocoton, i, 40.
- — paracotoin, i, 51.
- — alkaloïds from the rind of pomegranate root, i, 154.
- — constitution of cotoin, i, 255.
- — new constituent of true coto bark, i, 300.
- — synthesis of benzoylphloroglucinol trimethyl ether, i, 409.
- — maclurin and phloretin, i, 471.
- Claassen, H., amount of glucose in beets and in diffusion juice, ii, 72.
- Claisen, L., oxymethylene derivatives of ethylic acetacetate, acetylacetone, and ethylic malonate, i, 66.
- isomerism of 1:3-triketones, i, 192.
- the pyrazole series, i, 345.
- action of ethylic oxylate on dibenzyl ketone, i, 378.
- Claisen, L., and P. Roosen, action of phenylhydrazine on hydroxymethylenacetone and on acetoneoxalic acid, i, 345.
- — sulphonylphenyl- and hydroxyphenyl-pyrazoles, i, 346.
- Claisen, L., and others, 1:3-diketones, i, 31.
- Clark, J., estimation of chromium in ferrochromium and steel, ii, 35.
- Clarke, F. C. H., obituary notice of, TRANS., 383.
- Clarke, F. W., constitution of the zeolites, ii, 459.
- Classen, A., quantitative analysis by electrolysis, ii, 68, 161, 480.
- separation of copper from bismuth, ii, 70.
- Claus, A., constitution of benzene, i, 174, 445.
- halogen alkyl derivatives of isoquinoline, i, 343.
- stereoisomerism, i, 393.
- the two isomeric forms of diazobenzene potassium sulphate, i, 597.
- Claus, A., and A. Ammelburg, 2:4-dibromoquinoline, i, 553.
- Claus, A., and H. Howitz, β -bromoquinoline and γ -bromoquinoline, i, 617.
- Claus, A., and K. Junghanns, 4-chloroquinoline, i, 53.
- Claus, A., and R. Kayser, 2-chloroquinoline, i, 52.
- Claus, A., and K. Reinhard, 3:4:4'-tribromoquinoline and 2:3:4:4'-tetrabromoquinoline, i, 473.
- Claus, A., and A. Schedler, 3-chloroquinoline, i, 382.
- Claus, A., and G. N. Vis, 1:4-nitrobromoquinoline, i, 54.

- Clayton, E. G., preparation of potassium mercuric iodide, ii, 449.
- Clement, A. A. See Noyes.
- Cleve, P. T., isomeric nitrochloronaphthalenesulphonic acids, i, 252.
- Clos, A. See Auwers.
- Cohen, E., electrical method for the determination of transition points, ii, 340.
- Cohen, E., and G. Bredig, determination of transition temperatures, ii, 407.
- Cohen, E. See Deventer.
- Cohn, G., condensation products of monobasic acids with resorcinol, i, 120.
- relationships between boiling points and between melting points, i, 481.
- Colby, D. W. See Aubert.
- Collie, J. N., a new method of producing carbon tetrabromide, TRANS., 262.
- Collie, J. N., and H. R. Le Sueur, salts of dehydracetic acid, TRANS., 254.
- Colson, A., change of sign of rotatory power, ii, 435.
- Colson, A., and G. Darzens, thermal constants of the polyatomic bases, i, 222.
- Combes, A., triethylphloroglucinol, i, 507.
- Commerell, O. See Paal.
- Coninck. See Oechsner de Coninck.
- Conrady, A., galbanum resin, i, 423.
- Cook, E. H., effect of heat on iodates and bromates. Part I. Potassic iodate and bromate, TRANS., 802.
- Cope, F. See Perkin.
- Cornelison, R. W. See Hill.
- Cossa, A., Anderson's pyridine reaction, i, 551.
- Cotton, S., analysis of gold ores, ii, 484.
- Courmont, J., and M. Doyon, substance resembling strychnine in the muscles of tetanised animals, ii, 106.
- Courtonne, M. H., action of baryta on glucose and levulose, i, 269.
- Cousin, H., action of halogens on homocatechol, i, 368.
- Cownley, A. J. See Paul.
- Cramer, M., action of acid on glycogen, i, 566.
- action of ferments and cells on sugars, i, 566.
- Crobaugh, F. L., estimation of graphite in pig iron, ii, 297.
- Crochetelle, J., and J. Dumont, influence of chlorides on nitrification, ii, 468.
- Crochetelle, J. See also Dumont.
- Croizier. See Joannis.
- Crookes, W., separation of the rare earths, ii, 450.
- Crosa, F. See Paterno.
- Cross, C. F., E. J. Bevan, and C. Beadle, chemistry of plant fibres: celluloses, oxycelluloses, and lignocelluloses, i, 63.
- — — natural oxycelluloses, i, 354.
- Crossley, A. W., and W. H. Perkin, jun., substituted pimelic acids, TRANS., 987.
- — — the products of the action of fused potash on camphoric acid, PROC., 1894, 65.
- Crossley, A. W. See also Fischer.
- Crossman, T., analysis of malt, ii, 491.
- Cunéo, G. See Pellizzari.
- Curatolo, A., and G. Persio, synthesis of the cresolcoumarins, i, 289.
- Curci, A., physiological action of pilocarpine, ii, 150.
- Curtius, T., transformation of acid azides into derivatives of alkylamines (replacement of COOH by NH₂), i, 331.
- Curtius, T., and H. A. Försterling, transformation of ketazines into pyrazolines, i, 348.
- Curtius, T., and K. Heidenreich, hydrazides of carbonic acid and of thiocarbonic acid, i, 166.
- — — ethylic hydrazicarboxylates and azocarboxylates, i, 325.
- Curtius, T. See also Jay.
- Cushman, B. S. See Dennis.
- Cutolo, A., guaiaacolglycollic acid, i, 289.
- Czapek, F., and J. Weil, action of selenium and tellurium on the animal organism, ii, 200.

D.

- Dafert, F. W., ash constituents in the coffee tree, ii, 207.
- Dambmann, J. See Bourgeois.
- Damerow, F., synthesis of 3-ethylisoquinoline, i, 618.
- Daniel, J., polarisation of a thin metal partition in a voltameter, ii, 266.
- Darier, G., chrysin, i, 207.
- dinitrochrysin, i, 380.
- Darzens, G. See Colson.
- Dastre, A., pancreatic ferments, ii, 103.
- Davidson, W. B. See Japp.
- Davies, R. H., obituary notice of, TRANS., 384.
- Day, W. C., and A. P. Bryant, com-

- parison of Pemberton's method of estimating phosphoric acid with the American official process, ii, 365.
- Deeley, R. M., the oxides and the periodic law, *TRANS.*, 106.
- Dehéraïn, P. P., composition of winter drainage from bare soil and from soil sown with wheat, ii, 156.
- drainage waters from arable soils, ii, 291.
- Delannoy, possible number of isomerides of a carbon compound, i, 433.
- Demoussy, nitrogen in living plants, ii, 153.
- Demyanoff, N., action of nitrous acid on trimethylenediamine, i, 500.
- action of nitrous acid on pentamethylenediamine, i, 500.
- Denigès, G., volumetric estimation of silver, ii, 119.
- microchemical examination for iodine, ii, 159.
- estimation of hydrogen cyanide in cherry laurel water, ii, 165.
- rapid titration of xantho-uric compounds in urine, ii, 403.
- rapid detection of tin, ii, 482.
- Deninger, A., orthohydroxydiphenylamine, i, 511.
- Dennis, L. M., and B. S. Cushman, iron phosphide, ii, 382.
- Dennis, L. M., and F. L. Kortright, separation of thorium from the rare earths of the cerium and yttrium groups, ii, 256.
- Dennstedt, M., and F. Voigtländer, conversion of pyrroline into indole, i, 259.
- Dent, F. See Smithells.
- Derrick, W. H. See Rennie.
- Dessauer, H. See Buchner.
- Deventer, C. M. van, and E. Cohen, salt formation in alcoholic solutions, ii, 341.
- Deventer, C. M. van, and B. H. Jürgens, estimation of dissolved oxygen in water, ii, 118.
- Dewar, J., note on the viscosity of solids, *Proc.*, 1894, 136.
- Dewar, J. See also Liveing.
- Dieckmann, W., formation of closed chain compounds from open carbon chains, i, 173.
- a cyclic analogue of ethylic ketipate, i, 324.
- formation of hexahydrosalicylic acid by reduction of ethylic β -keto-hexamethylenecarboxylate, i, 592.
- Diefenbach, R., orthoanisidine, i, 328.
- Dieterici, C., relation between depression of the freezing point and the osmotic pressure of solutions, ii, 343.
- Ditte, A., decomposition of alkali stannates under the influence of carbonic anhydride and alkali carbonates, ii, 18.
- Ditte, A., and R. Metzner, action of some metals on acid solutions of their chlorides, ii, 97.
- Divers, E., calomel, ii, 353.
- Divers, E., and T. Haga, oximido-sulphonates or sulphazotates, *TRANS.*, 523.
- Dobbie, J. J., and A. Launder, corydaline. Part III. Oxidation with potassium permanganate, *TRANS.*, 57.
- Dodgson, J. W. See Burch.
- Doebner, O., parasorbic acid, i, 226.
- synthesis of α -alkyl- β -naphthochinchonic acids: specific reaction for aldehydes, i, 261, 532.
- Döring, K. See Rügheimer.
- Donath, E., inverting action of glycerol, i, 436.
- Donath, E., and R. Strasser, estimation of indigotin in indigo, ii, 300.
- Donnini, P., colloidal zinc sulphide, ii, 318.
- Doolittle, O. S., and A. Eavenson, Dudley's method of estimating phosphorus in steel, ii, 365.
- Dorp, W. A. van. See Hoogewerff.
- Dorner, A. See Seubert.
- Dougal, Mrs. M. D., a specimen of early Scottish iron, *TRANS.*, 744.
- Doyon, M. See Courmont.
- Dreaper, W. P., estimation of tannic and gallic acids, ii, 73.
- estimation of alizarin and allied colouring matters, ii, 170.
- Dreser, H., additive product of pyridine and chloracetone, i, 549.
- Dressel, O., and R. Kothe, sulphonation in the naphthalene series, i, 378, 608.
- Dreyfuss, I., cellulose in bacilli and other fungi, ii, 24.
- Dubke, H., action of benzaldehyde on symmetrical trimethylpyridine, i, 207.
- Dubs, influence of chloroform on artificial gastric digestion, ii, 104.
- Duden, P., dinitromethane, i, 101.
- Dühring, U., law of corresponding boiling points, ii, 269.
- Düll, G., carbohydrates soluble in water obtained from malt and barley, i, 106.
- Düll, G. See also Lintner.
- Duisberg, derivatives of naphthyl ethyl ethers, i, 336.
- Dumont, J., and J. Crochetelle, nitrification of prairie soils, ii, 116.
- effect of potassium salts on nitrification, ii, 248.

Dumont, J. See also Crochetelle.
 Dunstan, W. R., aconitine, i, 308.
 Dunstan, W. R., and A. L. Bossi, formaldoxime, *Proc.*, 1894, 55.
 Dunstan, W. R., and F. H. Carr, contributions to our knowledge of the aconite alkaloids. Part IX. The effect of heat on aconitine and some of its derivatives. Formation of pyraconitine, *Trans.*, 176.
 ——— contributions to our knowledge of the aconite alkaloids. Part X. Further observations on the conversion of aconitine into isaconitine and on the hydrolysis of aconitine, *Trans.*, 290.
 Dunstan, W. R., and T. S. Dymond, the isomerism of the paraffinic acid-oximes, *Trans.*, 206.
 ——— the reduction products of nitro-compounds, *Proc.*, 1894, 139.
 Dunstan, W. R., and E. Goulding, the action of methylic iodide on hydroxylamine, *Proc.*, 1894, 138.
 Dunstan, W. R., and E. F. Harrison, contributions to our knowledge of the aconite alkaloids. VIII. On pieraconitine, *Trans.*, 174.
 Dunstan, W. R., and H. A. D. Jowett, the action of iodine and of methylic iodide on aconitine, *Proc.*, 1894, 96.
 Dunstan, W. R., and C. M. Lummore, the properties of α -benzaldoxime and some of its derivatives, *Proc.*, 1893, 253.
 Dupee, L. C. See Wells.
 Dussy, J. See Bruhnes.
 Duyk, preparation of potassium metantimonate, ii, 18.
 Dyer, B., on the analytical determination of probably available "mineral" plant food in soils. (Illustrated by examination of the permanent barley soil of Hoos Field, Rothamstead), *Trans.*, 115.
 Dymond, T. S. See Dunstan.
 Dyson, G., and A. Harden, on the combination of chlorine with carbon monoxide under the influence of light, *Proc.*, 1894, 165.
 Dzierzgowsky, S. K., synthesis of ethers and ketones from phenols, i, 73.
 ——— derivatives of chloracetocatechol, i, 234.
 ——— ethereal salts and ketones from phenols and halogen-substituted fatty acids, i, 505.
 ——— condensation products of ortho- and para-hydroxybenzaldehyde with quinaldine, i, 553.

E.

Eakins, L. G., meteorite from Hamblen Co., Tennessee, ii, 56.
 Easterfield, T. H., and W. J. Sell, studies on citrazinic acid. Part II., *Trans.*, 28.
 Easterfield, T. H. See also Sell.
 Eavenson, A. See Doolittle.
 Eberhard, O. See Töhl.
 Eberhardt, C., and A. Welter, condensation products of aromatic amines and formaldehyde in alkaline solution, i, 451.
 Ebert, H., heat of dissociation in electrochemical theory, ii, 80.
 Ebstein, W., physiological action of pentoses, ii, 108.
 Ebstein, W., and C. Schulze, action of carbonic anhydride on the diastatic ferments of the animal body, ii, 103.
 Eckenroth, H., and K. Kock, diphenylic thiocarbonate, i, 408.
 Edelmann. See Braütigam.
 Effront, J., formation of succinic acid and glycerol in alcoholic fermentation, i, 563.
 ——— beer yeast, ii, 62.
 ——— influence of fluorine compounds on beer yeasts, ii, 425.
 Ehrenfeld, C. H., stilbite, chabazite, and augite, from York Haven, York Co., Pa., ii, 242.
 Ehrlich, P., and A. Einhorn, physiological action of compounds of the cocaïne series, ii, 394.
 Eijkman, J. F., refractometric researches, ii, 173.
 Einhorn, A., and E. S. Faust, substitution derivatives of *d*-cocaïne, i, 557.
 Einhorn, A., and C. Frey, eugenol and isoeugenol, i, 578.
 Einhorn, A., and H. His, substitution derivatives of cocaïne, i, 557.
 Einhorn, A., and C. v. Hofe, phenacyl-eugenols and acetonyl-eugenols, i, 578.
 Einhorn, A., and A. Meyenberg, hexahydroanthranilic and hexahydro-salicylic acids, i, 591.
 Einhorn, A., and R. Willstätter, hexahydro-salicylic acid, i, 87.
 ——— reduction of salicylic acid, i, 246.
 ——— preparation of cocaïne from the allied alkaloids, i, 478.
 ——— removal of hydrogen from hydrogenised benzenecarboxylic acids, i, 522.
 ——— hydrogenised paratoluic acids, i, 522.
 ——— paramethylcenedihydrobenzoic acid, i, 523.

- Einhorn, A., and R. Willstätter, methylbetaine of anhydroecgonine, i, 629.
- Einhorn, A. See also Ehrlich.
- Eisig, M., line spectrum of oxygen, ii, 265.
- Eitner, P., action of sulphuric anhydride on nitriles, i, 89.
- Eitner, P., and H. Wetz, nitrogenous derivatives of the higher fatty acids, i, 69.
- Ekker, E. H., estimation of sodium hyposulphite, ii, 479.
- Elion, H., partial decomposition of constituents of beer by ebullition, and its effect on the estimation of carbonic anhydride and on the detection of sulphurous acid, ii, 218.
- Embden, F. C. E. v. See Bettink.
- Embden, H., alcaptonuria, ii, 23.
- Emich, F., tin and stannic oxide, ii, 52.
- Emmerling, A., detection and approximate estimation of sand in food-stuffs, meal, &c., ii, 163.
- Engel, R., relation between the precipitation of chlorides by hydrochloric acid and the reduction of the freezing point, ii, 40.
- separation of chlorine from bromine, ii, 427.
- Engler, C., and F. W. Bauer, reduction of ethyl pyridyl ketone: non-identity of α -ethylpiperylalkine with active pseudoconhydrine, i, 471.
- Engler, C., and A. Kronstein, conhydrine and pseudoconhydrine, i, 478.
- Engler, C., and others, ethereal salts and amides of pyridinecarboxylic acids, i, 472.
- Epprecht, G., chloro- and bromo-derivatives of ethylic acetoacetate, i, 171.
- Erdmann, H., preparation of potassium cyanate, i, 2.
- salts of rubidium, ii, 351.
- Erlenmeyer, E., jun., benzoyl peroxide, an oxidation product of benzaldehyde, i, 520.
- Erlenmeyer, E., jun., and N. Knight, oxylactones derived from phenylpyruvic acid, i, 592.
- Erp, H. van. See Franchimont.
- Errera, G., campholylic alcohol, i, 202.
- campholylamine and camphelic acid, i, 203.
- Errera, G., and G. Gasparini, condensation of phthalides with phenol, i, 294.
- Eschert, P., and M. Freund, dimethylbutylamine, i, 7.
- Eschweiler, W., derivatives of acetonitrile, i, 267, 443.
- Étard, A., solubilities, ii, 8.
- saturated solutions, ii, 442.
- Evans, P. N., condensation of β -diketones with carbamide, guanidine, and thiocarbamide, i, 111.
- Evers, F., compounds of the sugars with iron, i, 221.
- Ewan, T., osmotic pressures of solutions of finite concentration, ii, 410.

F.

- Fabinyi, R., some peculiar cases of isomerism, i, 122.
- Fabris, G. See Villavecchia.
- Fahrion, W., Hübl's iodine absorption process, ii, 74.
- Fanjung, I., influence of pressure on the conductivity of electrolytes, ii, 438.
- Fasbender, R., alkali aurochlorides and the separation of the alkalis, ii, 421.
- Faust, E. S. See Einhorn.
- Fayollat, J., methylic tartrates and ethylic tartrates, i, 68.
- Fayollat. See also Trillat.
- Fayolle, M. See Villiers.
- Feist, F., reduction of benziledioximes, i, 196.
- Feldt, W., compounds of hydroxylamine with metallic salts, ii, 187.
- Fenton, H. J. H., the oxidation of tartaric acid in presence of iron, TRANS., 899.
- Ferratini, A., conversion of indoles into quinolines, i, 96.
- methyltetrahydroisoquinoline methiodide, i, 208.
- Fileti, M., oxybenenic acid, i, 13.
- formula of the so-called oxybrasidic acid, i, 228.
- molecular weight of mercurous chloride, ii, 449.
- Fileti, M., and G. Ponzio, oxidation and constitution of erucic acid, i, 13.
- Finckh, J., odour of alkyl sulphides, i, 353.
- Finkenbeiner, H., optically active cinnamic dichloride, i, 335.
- Finkenbeiner, H. See also Stavenhagen.
- Finocchiaro, F. See Peratoner.
- Fiquet, E., condensation of aromatic aldehydes with cyanacetic acid, i, 32.
- Fischer, B., and B. Grützner, bismuth salts, i, 416.
- Fischer, C. S., estimation of glycocine, ii, 336.

- Fischer, E., glucosides of the alcohols, i, 3.
 — alkyl derivatives of benzoïn, i, 38.
 — amidoacetaldehyde, i, 168.
 — compounds of sugars with mercaptans, i, 269.
 — two new hexitols and compounds of the polyvalent alcohols with benzaldehyde, i, 395.
 — some osazones and hydrazones of the sugar group, i, 566.
 Fischer, E., and L. Beensch, synthetic glucosides, i, 565.
 Fischer, E., and A. W. Crossley, oxidation of saccharic and mucic acids with potassium permanganate, i, 230.
 Fischer, E., and P. Hunsalz, hydrazidoacetaldehyde, i, 169, 584.
 Fischer, E., and W. L. Jennings, compounds of the sugars with polyhydric phenols, i, 396.
 Fischer, E., and C. Liebermann, quinovose and quinovite, i, 4.
 Fischer, E., and R. S. Morrell, configuration of rhamnose and galactose, i, 218.
 Fischer, E., and F. Müller, action of hydrocyanic acid on phenylhydrazine, i, 212.
 Fischer, E., and H. Thierfelder, behaviour of various sugars towards pure yeast cultures, i, 486.
 Fischer, E., and F. Tiemann, glucosamine, i, 167.
 Fischer, O., and R. Albert, paramidotriphenylmethane, i, 196.
 Fischer, O., and H. Schütte, synthesis in the acridine series: 2:2-phenylamidonaphthol, i, 200.
 Fischer, O., and J. Trost, oxidation of amido-bases by sodium peroxide, i, 179.
 Flavitzky, F., system of the haloid salts according to the theory of chemical forms, ii, 183.
 Fleissner, F. See Lippmann.
 Fleitmann, T., estimation of impurities in commercial nickel, ii, 366.
 Fletcher, L., analysis of a meteoric stone from Makariwa, near Invercargill, New Zealand, ii, 422.
 Fleurent, E., constitution of vegetable proteids, i, 214.
 — amido-acids obtained by the breaking down of vegetable proteids, i, 571.
 Flint, E. R., gravimetric estimation of pentaglucofoses, ii, 260.
 Fock, A., solubility of mixed crystals, ii, 84.
 Foerster, F., chemical behaviour of glass, ii, 48.
 Foerster, F., behaviour of various kinds of glass with reagents, ii, 451.
 Forsterling, H. A. See Curtius.
 Fokyn, S., oxidation of diallyloxalic acid with potassium permanganate, i, 115.
 Forcrand, de, thermochemical values of the functions of orcinol, i, 235.
 — constitution of orcinol, i, 280.
 — ethylic sodacetoacetate, i, 356.
 — chemical function and constitution of ethylic acetoacetate, i, 440.
 Formánek, E., influence of cold baths on the excretion of nitrogen and uric acid, ii, 360.
 Forrest, J. R., proteids of red marrow, ii, 465.
 Forster, M. O. See Tilden.
 Forte, O., estimation of calcium and magnesium, ii, 332.
 Fortner, P., and Z. H. Skraup, propionyl-derivatives of ethylic mucate, i, 404.
 Foster, W., obituary notice of, *TRANS.*, 385.
 Foullon, H. v., rocks and minerals from the island of Rhodes, ii, 461.
 Fournier, H., phenylallylcarbinol, i, 19.
 — ethylallylcarbinol, i, 394.
 Fowler, G. J., iron nitride, ii, 50.
 Fränkel, S., glycogen, ii, 123.
 Framm, F. See Tohl.
 Francesconi, L., santonic acid and its derivatives, i, 204.
 Franchimont, A. P. N., and H. van Erp, the "dinitroalkylic" acids, i, 273.
 Franchimont, A. P. N. See also Bruyn.
 François, estimation of mercury in presence of iron, ii, 431.
 Frauk, L. See Rossel.
 Fraukel, L. K., gelatinous silver cyanide, i, 218.
 Frankforter, G. B., iodides of narcaine, i, 477.
 Frankforter, G. B. See also Freund.
 Frankfurt, S., composition of the seeds and etiolated sprouts of hemp (*Canabis sativa*) and sunflower (*Helianthus annuus*), ii, 113, 469.
 Frankfurt, S. See also Schulze.
 Frankland, P. F., and J. Macgregor, the maximum molecular deviation in the series of the ethereal salts of active diacetylglyceric acid, *TRANS.*, 750.
 — observations on the influence of temperature on the optical activity of organic liquids, *TRANS.*, 760.
 Franz, R., conversion of citraconic acid into mesaconic acid, i, 403.

- Franzeschi, G., volumetric estimation of gold, ii, 431.
- Frederikse, J. J., fibrin and fibrinogen, ii, 289.
- Freer, P. C., action of sodium on acetone, i, 65.
- Freese, H. See Hantzsch.
- Frentzel, J., formation of glycogen, ii, 358.
- Freund, E., and G. Toepfer, estimation of alkalinity and acidity of urine, ii, 260.
- Freund, M., dithiourazole and its derivatives, i, 477.
- Freund, M., and P. Beck, aconitine, i, 263, 308.
- Freund, M., and G. B. Frankforter, narceine, i, 58.
- Freund, M., and F. Horst, norhemipinic acid, i, 247.
- Freund, M., and W. Josephi, alkaloids of the root of *Corydalis cava*, i, 100.
- Freund, M., and E. König, β -phenylpropylamine, i, 75.
- action of phenylic isocyanochloride on derivatives of phenylhydrazine, i, 96.
- Freund, M., and F. Lutze, hydrastine, i, 60.
- Freund, M., and W. Rosenstein, cinchonine, i, 151.
- Freund, M., and S. Wischewiansky, action of thionyl chloride, phthalic chloride, and succinic chloride on phenylhydrazine, i, 56.
- triazole-derivatives, i, 97.
- Freund, M. See also Eschert.
- Freund, S. See Goldschmidt.
- Freundler, P., influence of organic solvents on specific rotatory power, i, 68.
- Frew, W. See Bamberger.
- Frey, C. See Einhorn.
- Fricke, E., E. Haselhoff, and J. König, changes in, and effects of, irrigating water, ii, 212.
- Friedel, C., nesquehonite, ii, 53.
- composition of aphophyllite, ii, 421.
- Friedel, G., serpentine, from Brewster, New York, ii, 242.
- Friedheim, C., phosphovanadic acids and their salts, ii, 193.
- tungstovanadates, ammonium phosphophomolybdates, and arsenomolybdates, ii, 238.
- condensation products of alkali phosphates or arsenates with chromates and sulphates, and of nitrates with sulphates, ii, 314.
- Friedländer, P., and P. Lucht, relative stability of certain sulphonic derivatives of naphthalene, i, 138.
- Friedländer, P., and O. Reinhardt, naphthaquinone chlorimides, i, 198.
- Friedländer, P., and S. v. Zakrzewski, 2 : 3-naphthylenediamine, i, 336.
- Friedländer, P., and M. Zeitlin, decomposition of substituted diazobenzeneimides, i, 184.
- Friedrich, H., lead tetrachloride, ii, 16.
- Friedrichs, F. See Gattermann.
- Fritsch, P., chlorination of alcohol, i, 483.
- chlorination of acetone, i, 490.
- preparation of diphenylacetaldehyde and synthesis of tolane-derivatives, i, 520.
- Fritsch, P., and W. Schumacher, chlorination of ether, i, 485.
- Frombenius, L. See Pechmann.
- Fromm, O. See Mylius.
- Fromm, P., preparation of bromoform, i, 561.
- Funcke, F. See Hinsberg.
- Funk, R., synthesis of β -pipercoline and preparation of δ -valerolactone, i, 34.

G.

- Gabriel, S., mineral matter of bones and teeth, ii, 21.
- fluorine in bones and teeth, ii, 147.
- Gabriel, S., and T. Posner, orthocyanobenzyl cyanide, i, 279.
- amidoketones of the fatty series, i, 355.
- reduction of ethylic isonitrosoacetacetate, i, 357.
- ortho- α -tricyanodibenzyl, i, 603.
- Gaess, F., and A. Ammelburg, nitro- β -diazonaphthalenes, i, 605.
- Gale, S., obituary notice of, TRANS., 386.
- Galitzine, B., state of matter near the critical point, ii, 81.
- Gannon, W., copper electrolysis in a vacuum, ii, 305.
- Gannter, F., new gas-volumeter of general applicability, ii, 26.
- Gardner, J. A. See Marsh.
- Garelli, F., cryoscopic behaviour of substances of similar constitution to the solvent, i, 157.
- Garnier, J., employment of electricity to follow the phases of certain chemical reactions, ii, 276.
- Gasparini, G. See Errera.
- Gatterman, L., electrolytic reduction of aromatic nitro-compounds, i, 503.
- Gattermann, L., and F. Friedrichs, action of the electric current on benzene, i, 501.

- Gattermann, L., and K. Koppert, electrolytic reduction of aromatic nitro-compounds, i, 72.
- Gattermann, L., and A. E. Lockhart, thionaphthens, i, 92.
- Gattermann, L., and H. Rüd't, condensation of aromatic alcohols and nitro-hydrocarbons, i, 599.
- Gattermann, L., and K. Weinlig, silicon compounds, ii, 414.
- Gautier, A., urea formation, ii, 326.
- Gawalowsky, A., analysis of tanning materials, ii, 73.
- Gebek, L., estimation of fat, ii, 165.
- Geerligs, H. C. P., formation of pectin by the action of lime on the sugarcane, ii, 112.
- Geisler, W. See Michaelis.
- Geisenheimer, G., an application of sodium silicate, ii, 189.
- Gennari, G., refraction constants of coumarone and of indene, i, 520.
- refraction constants of furfurylic alcohol and of pyromucic acid and its salts, ii, 302.
- Genvresse, P., sulphones from benzylic alcohol and benzoic acid, i, 132.
- Gérard, E., composition of the liver fat of the crab, *Birgus latro*, ii, 147.
- Gerlach, M., instability of colouring matters containing carotene, i, 95.
- Gerlach, O. See Lossen.
- Gernez, D., influence of sodium and ammonium hydrogen molybdates on the rotatory power of rhamnose, ii, 435.
- Gernhardt, V., apparatus for facilitating the boiling of liquids, ii, 268, 444.
- Ghira, A., cryoscopic behaviour of acetates of feeble bases, i, 226.
- preparation of lead triethide, i, 276.
- molecular volumes of boron compounds, ii, 6.
- refraction constants of organo-metallic compounds: atomic refractions of the elements, ii, 415.
- Gibbs, W., oxides contained in cerite, samarskite, gadolinite, and fergusonite, ii, 47.
- Gibbs, W., and E. T. Reichert, action of definitely related chemical compounds on animals, ii, 393.
- Gibertini, D., and A. Piccinini, analyses of the mineral combustible gases of Torre and Salsomaggiore, ii, 195.
- Gil, J. C., test for free sulphur, ii, 159.
- Gildemeister, E. See Bertram.
- Giles, W. B., modified litre flask, ii, 251.
- Gilson, E., crystallisation of cellulose, i, 107.
- Gimborn, H. v. See Michaelis.
- Giorgis, G., Scott's cement, ii, 235.
- Giustiniani, E., tartaric and citric derivatives of benzylamine, i, 181.
- Gladding, T. S., estimation of sulphur in pyrites, ii, 397.
- Gockel, A., electrolytic thermoelectric cells, ii, 78.
- Goedike, R. v., compounds of picric acid with phenols and ketones, i, 119.
- Göhlich, W., codeine, i, 431.
- Göttig, C., formation of ethereal salts of chlorhydrin and of dichlorhydrin with paramethoxybenzoic acid, i, 465.
- production of metallic films especially adapted for covering aluminium, ii, 382.
- Goldschmidt, C. See Bamberger.
- Goldschmidt, H., and S. Freund, influence of position isomerism on the rotatory power of optically active compounds, ii, 405.
- Goldschmidt, H., and K. L. Syngros, compounds of hydroxylamine with metallic carbonates, ii, 45.
- Goldschmidt, G., and F. v. Hemmelmayr, scoparin, i, 542.
- Gooch, F. A., and B. Hodge, detection of arsenic when associated with antimony and tin, ii, 331.
- Gooch, F. A., and D. A. Kreider, preparation of chlorine for laboratory purposes, ii, 445.
- detection of alkali perchlorates in the presence of chlorides, chlorates, and nitrates, ii, 474.
- Gooch, F. A., and I. K. Phelps, reduction of arsenic acid by the action of hydrochloric acid and potassium bromide, ii, 477.
- Goodwin, H. M., the voltaic chain, ii, 305.
- Goodwin, W., and W. H. Perkin, jun., β -2-dimethylglutaric acid, *Proc.*, 1894, 64.
- Gore, G., decomposition of solutions by contact with finely-divided silica, &c., ii, 184.
- changes of temperature caused by contact of liquids with powdered silica, &c., ii, 267.
- Gorgeu, A., natural manganese oxides, ii, 19, 99.
- estimation of manganese by means of potassium permanganate, ii, 33.
- Gottstein, A., decomposition of hydrogen peroxide by cells, ii, 24.
- Goulding, E. See Dunstan.

- Gourlay, F., proteids of spleen and thyroid, ii, 246.
- Gowland, W., native copper from Yunnan, China, ii, 98.
- Goyder, G. A., action of potassium cyanide on gold and some other metals and minerals, ii, 416.
- Grace Calvert, C. A. See Harris.
- Gradenwitz, H., β -hydroxynaphthoic acid (m. p. 216°), i, 605.
- Graebe, C., colour of acenaphthylene, i, 43.
- chrysene and chrysodifluorene, i, 336.
- methylacridones and niethylacridines, i, 529.
- Graebe, C., and A. S. Răteanu, orthamidodiphenyl from fluorene, i, 529.
- Graffenberger, comparison of the various methods in use for the estimation of milk fat, ii, 166.
- Graffenberger, L., effect on the offspring of calcium phosphate consumed during the period of gestation, ii, 198.
- Grahe, E., action of zinc and its salts on blood and blood pigment, i, 432.
- Gramont, A. de, line spectrum of oxygen, ii, 434.
- Grandmougin, E. See Michel.
- Grassi-Cristaldi, G., santonone, i, 143.
- Green, J. R., presence of vegetable trypsin in the fruit of *Cucumis utilisissimus*, ii, 63.
- Greenwood, M., and E. R. Saunders, acid in protozoan digestion, ii, 356.
- Gregor, G., estimation of hydrocyanic acid, ii, 165.
- Gréhan, N., absorption and elimination of hydrogen and nitrous oxide, ii, 102.
- influence of time on the absorption of carbonic oxide by blood, ii, 244.
- Grell, F. See Haeussermann.
- Griffiths, A. B., ptomaine from urine in a case of cancer, i, 559.
- Griggi, G., rosaniline hydrochloride as a reagent for the detection of mineral acids in vinegar, ii, 219.
- Grimaux, E., essence of tarragon and its conversion into anethoil, i, 120.
- Grimaux, E., Laborde, and Bourru, physiological and therapeutic effects of the homologues of quinine, ii, 424.
- Grindley, H. S. See Palmer.
- Griner, G., synthesis of erythritol and of an isomeride, i, 62.
- Gröger, M., preparation of pure potassium iodate, ii, 233.
- estimation of iodine in presence of bromine and chlorine, ii, 251.
- Grossmann, A. See Wislicenus.
- Grützner, B., crystalline constituent of the fruit of *Pierannia camboita*, Engl., i, 227.
- Grützner, B. See also Fischer.
- Gruyter, P. de. See Bamberger.
- Guareschi, L., synthesis of hydroquinoline derivatives, i, 144.
- Guasti, G., testing phenacetin, ii, 432.
- Gümbel, H., nitration of orthiodobenzoic and orthiodosobenzoic acids, i, 32.
- Gümbel, H. See Meyer.
- Gümbel, W. v., monticellite crystals obtained in lead smelting, ii, 56.
- Gürber, A. See Pembrey.
- Guerbet, campholene, i, 254.
- Guichard, P., composition and analysis of yeast, ii, 395, 404.
- Guignes, strychnine nitrate, i, 262.
- Guinard, L., physiological action of apocodeine, ii, 60.
- Gulewitsch, W., recovery of osmium from residues, ii, 53.
- preparation of glycogen, ii, 123.
- Gumlich, nucleïn in nutrition, ii, 145.
- Gunn, A., detection and estimation of oxalic acid, ii, 73.
- Guntz, preparation of metallic lithium, ii, 91.
- Guthzeit, M., action of ammonia on ethylic 6-ethoxycoumalin-3:5-dicarboxylate in absence of water, i, 71.
- Guyot, A. See Haller.
- Gysae, G., diphenylmaleic anhydride, i, 27.

H.

- Haacke, O., cause of electric currents observed in plants, ii, 25.
- Haas, J. See Lellmann.
- Haber, F. See Knorr.
- Hädrich, H., optical rotation and electrolytic dissociation, ii, 78.
- Haenle, O., detection of glucose and cane sugar in honey, ii, 164.
- Haeussermann, C., electrolytic reduction of nitrobenzene, i, 118.
- Haeussermann, C., and F. Grell, dinitrotoluene, i, 574.
- Haeussermann, C., and E. Martz, dinitrotetraphthalic acids, i, 131.
- Haeussermann, C., and H. Teichmann, diphenols, i, 598.
- Haga, T. See Divers.
- Hagemann, O. See Lehmann.
- Hagen, J. v. d., and P. Woltering, toxicological detection of phosphorus, ii, 160.

- Hahn, M., action of different acids on gastric digestion, ii, 462.
- Hailer, R. See Lellmann.
- Hairs, test for "saccharin" in presence of salicylic acid, ii, 164.
- Haldane, J. S., and J. L. Smith, red blood corpuscles of different specific oxygen capacities, ii, 357.
- Haldane, J. S., W. H. White, and J. W. Washbourn, new animal calorimeter, ii, 243.
- Haller, A., and A. Guyot, derivatives of benzoylbenzoic acid, i, 601.
- amidobenzoylbenzoic acids and dimethylanilinephthalein, i, 602.
- Haller, A., and Minguin, isomeric methylecyanocamphors, i, 338.
- Halliburton, W. D., and T. G. Brodie, nucleo-albumins and intravascular coagulation, ii, 463.
- Hallwachs, W. See Kohlrausch.
- Halpern, K. See Baumert.
- Hamburger, H. J., lymph formation during muscular work, ii, 105.
- Hammarsten, O., nucleoproteids, i, 310.
- human bile, ii, 107.
- Hanausek, T. F., presence of saponins in plants, ii, 290.
- Handy, J. O., estimation of phosphorus in iron, steel, and ores containing arsenic, ii, 365.
- Hanes, E. S. See Meldola.
- Hannay, J. B., new volatile compounds of lead sulphide, *Proc.*, 1894, 113.
- the interaction of sulphide with oxide of lead, *Proc.*, 1894, 151.
- Hanriot, M., and C. Richet, chloralose, i, 105.
- Hantzsch, A., halogen derivatives of ethylic acetoacetate, i, 171.
- remarkable intramolecular change, i, 227.
- formation of hydroxamic acids from ethereal salts, i, 274.
- velocity of transformation of aldoximes into acid nitriles, i, 330.
- urethane, i, 363.
- hydroxyurethane and certain reactions of benzhydroxamic acid, i, 364.
- stereoisomerism of the diazo-compounds: constitution of isodiazo-compounds, i, 453.
- stereoisomeric salts of benzene-diazosulphonic acid, i, 455.
- constitution of benzenediazoic acid, i, 456.
- stereoisomeric diazoamido-compounds, i, 459.
- stereoisomerism of the benzene-diazosulphonic salts, i, 597.
- Hantzsch, A., and H. Frésc, colour reactions of certain sulphur compounds which occur in aniline bases, i, 572.
- Harden, A. See Dyson.
- Hardy, H. See Budden.
- Harley, V., influence of sugar and of smoking on muscular work, ii, 245.
- Harnack, E., crystallised and ash-free albumin, i, 430.
- Harries, C. D., tertiary and quaternary aromatic hydrazines, i, 284.
- ethanehydrazoethane, i, 568.
- Harries, C. D., and E. Loewenstein, constitution of the carbazines, i, 305.
- Harrington, B. J., nephrite from British Columbia, ii, 54.
- Canadian spessartine, ii, 55.
- nepheline-syenite of Dungannon, Ontario, ii, 461.
- Harris, V. D., and C. A. Grace Calvert, human pancreatic ferments in disease, ii, 199.
- Harris, W., and V. Meyer, the molecular state of calomel vapour, ii, 353.
- Harrison, E. F. See Dunstan.
- Hartmann, C., and V. Meyer, new class of non-nitrogenous bases containing iodine, i, 242.
- the iodonium bases, i, 242, 461.
- preparation of iodoxybenzoic acid, i, 465.
- Harvey, S., apparatus for the estimation of gases dissolved in water, ii, 485.
- Haseloff, E., substitution of strontium for calcium in plant food, ii, 207.
- injurious action of nickel on plants, ii, 208.
- Haseloff, E. See also Fricke.
- Hasselberg, B., line spectrum of oxygen, ii, 373.
- Hautefeuille, P., and A. Perrey, yeasts, ii, 289.
- Haworth, E., melanite from Missouri, ii, 101.
- Haworth, E., and W. H. Perkin, jun., synthesis of pentamethylenecarboxylic acid, hexamethylenecarboxylic acid (hexahydrobenzoic acid), and azelaic acid, *TRANS.*, 86.
- hexamethylene dibromide and its action on sodium and on ethylic sodiomalonate, *TRANS.*, 591.
- 1:2-pentamethylenedicarboxylic acid, *TRANS.*, 978.
- Haycraft, J. B., levulose in diabetes, ii, 289.
- Heaton, C. W., obituary notice of, *TRANS.*, 386.
- Heermann, P., derivatives of naphthyl ethyl ethers, i, 251, 420.

- Heide, J. R. vander, double salts of potassium and magnesium sulphate: schönite and potassium astrachanite, ii, 92.
- Heidenreich, A., indoxazenes, i, 417.
- Heidenreich, K. See Curtius, Thiele.
- Heinisch, W., dry distillation of calcium veratrate, i, 34.
- derivatives of veratric acid and of veratrol, i, 526.
- dry distillation of calcium diethyl-protocatechuate, i, 527.
- Hell, C. See Apetz.
- Helm, O., rumänite, ii, 457.
- Helmers, O., influence of ichthyol on metabolism, ii, 245.
- Helmolt, H. v. See Witt.
- Hemmelmayer, F. v., meconinemethyl methyl ketone and di-meconine-methyl ketone, i, 151.
- Hemmelmayer, F. v. See also Goldschmiedt.
- Hempel, W. See Lehmann.
- Hemptinne, A. de, velocity of hydrolysis of ethereal salts, ii, 274.
- Henderson, J. B., polarisation of platinum electrodes in sulphuric acid, ii, 37.
- Henry, E., estimation of ammonia in presence of sulphides or cyanides, ii, 252.
- estimation of nitric acid with the nitrometer, ii, 252.
- Herfeldt, G., potassium chlorochromate, ii, 421.
- Herrmann, H. N. See Jackson.
- Herreschmidt, H., and E. Capelle, separation of nickel and cobalt, ii, 35.
- Herrmann, F., silver aurochloride, ii, 234.
- Herschmann, P., action of nitrous acid on amidoparadichlorobenzene, i, 330.
- Herzfeld, W. See Rügheimer.
- Herzfelder, A. D., substitution of chlorine and bromine in the fatty series, i, 1.
- substitution in the aliphatic series, i, 217.
- Herzig, J., brazilin and hæmatoxylin, i, 341.
- etherification of the aromatic hydroxyl group, i, 591.
- Herzig, J., and H. Meyer, detection and estimation of alkyl groups attached to nitrogen, ii, 219.
- Herzig, J., and T. v. Smoluchowski, aurin, i, 336.
- Herzig, J., and S. Zeisel, dermatropy in phenols: constitution of tetrethylphloroglucinol, i, 74.
- Hesse, O., constituents of coto bark, i, 94.
- the sugar of phlorizin, i, 104.
- alkaloids of belladonna, i, 153.
- hyosine, i, 153.
- melting point of cocaine hydrochloride, i, 154.
- alkaloids of pereiro bark, i, 155.
- crystalline constituents of true coto bark, i, 380.
- Heuck, R., furalcyanacrylic acid and its derivatives, i, 572.
- Heut, G., estimation of nicotine in tobacco, ii, 403.
- Hewitt, J. T., isomerism in the azo-series, i, 123.
- Hewlett, R. T., proteids of egg white, i, 480.
- Heycock, C. T., and F. H. Neville, freezing points of alloys in which the solvent is thallium, TRANS., 31.
- the freezing points of triple alloys, TRANS., 65.
- Heydweiler, A. See Kohlrausch.
- Heyl, P. See Smith.
- Hibbs, J. H. See Smith.
- Hibsch, E., sericite from Tetschen, ii, 460.
- Hidden, W. E., zoisite from North Carolina, ii, 20.
- xenotime from North Carolina, ii, 54.
- Hidden, W. E., and W. F. Hillebrand, rowlandite, ii, 19.
- mackintoshite, a new thorium and uranium mineral, ii, 20.
- Hill, H. B., and R. W. Cornelison, substituted crotonolactones and mucobromic acid, i, 319, 320.
- Hill, H. B., and H. E. Sawyer, dehydromucic acid from δ -methylpyromucic acid, i, 442.
- Hill, H. H. See Kastel.
- Hill, L. See Bayliss.
- Hillebrand, W. F. See also Hidden, Howell.
- Hillyer, H. W. See Kahlenberg.
- Hiltner, L. See Nobbe.
- Hinrichs, G., true atomic weight of hydrogen, ii, 39.
- true atomic weight of copper, ii, 47.
- the diamond as the standard for the determination of atomic weights, ii, 87.
- accurate determination of atomic weights using silver as a secondary standard, ii, 276.
- new variety of meteorite, ii, 422.
- Hinsberg, O., derivatives of benzene-sulphonamide and hydrazine, i, 290.
- action of phosphorus tri- and

- penta-chlorides on orthotoluylenediamine, i, 580.
- Hinsberg, O., and F. Funcke, isobutenylphenylamidine, i, 182.
- the aldehydine reaction, i, 623.
- Hinsberg, O., and F. König, hydrogenised quinoxalines, i, 624.
- Hirsch, P. See Stern.
- Hirsch, R., separation of cinnamic dibromide into its optically active constituents, i, 334.
- Hirschberg, W. See Tammann.
- His, H. See Einhorn.
- Hitzel, E., aniline and toluidine hydrogen sulphates, i, 509.
- Hjelt, E., elimination of carbonic anhydride from alkyl substituted malonic acids, i, 359.
- Hodge, B. See Gooch.
- Hoehnel, M., action of sodium peroxide on iodine and on lead oxide, ii, 417.
- Hóland, R., paraffin estimations, ii, 218.
- Hoerlin, J. See Koenigs.
- Hoessle, C. H. v., oxidation of unsaturated bromo-hydrocarbons, i, 354.
- methylic parahydroxybenzoate, i, 417.
- Hofe, C. v. See Einhorn.
- Hofer, J. See Miller.
- Hoff, J. H. van't, how the theory of solutions arose, ii, 132.
- historical note on isomorphism, ii, 411.
- Hoffmann, F., estimation of free acids in salts of the heavy metals, ii, 215.
- Hoffmann, F. See also Bamberger.
- Hoffmeister, W., improved drying oven, ii, 444.
- Holland, R. J., electrical conductivity of cupric chloride solutions, ii, 80.
- change of conductivity of a solution by the addition of a non-electrolyte, ii, 80.
- Holleman, A. F., synthesis of oxanilidedioxime, i, 240.
- oxamidedioxime, i, 570.
- volumetric estimation of phosphoric acid, ii, 297.
- Holt, W., and W. E. Sims, oxidation of the alkali metals, TRANS., 432.
- Hoogewerff, S., and W. A. van Dorp, substituted isoimides of phthalic acid, i, 594.
- Hooker, S. C., preparation and properties of bromolapachol, TRANS., 15.
- the synthesis of lapachol, PROC., 1893, 259.
- Hooker, S. C., and W. C. Carnell, conversion of ortho- into para- and of para- into ortho-quinone derivatives, and the condensation of aldehydes with β -hydroxy- α -naphthaquinone, TRANS., 76.
- Hooker, S. C., and J. G. Walsh, jun., conversion of ortho- into para- and of para- into ortho-quinone derivatives. II. Dinaphthyldiquinone, TRANS., 321.
- Hooker, S. C., and E. Wilson, conversion of ortho- into para- and of para- into ortho-quinone derivatives. Part III. The hydroximes of the lapachol-group. TRANS., 717.
- Hooper, D., Indian water-chestnut, ii, 66.
- Hooper, H. A., estimation of sulphur in steel, iron, &c., ii, 67.
- Hopfgartner, K., derivatives of disulphobenzoic acid [1:3:5], i, 250.
- Hopkinson, J., E. Wilson, and F. Lydall, alternate current electrolysis, ii, 178.
- Hoppe-Seyler, F., diffusion of gases in water, ii, 389.
- respiration apparatus, ii, 423.
- Horbaczewski, J., rare urinary calculi, ii, 24.
- separation of uric acid from xanthine, ii, 74.
- Horne, W. D., an automatic extractor, ii, 117.
- Horst, F. See Freund.
- Hosaeus, W., action of sodium on orthodibromobenzene, i, 17.
- Hotter, E., estimation of pentosans, ii, 260.
- Houllevigue, L., electrolysis and polarisation of mixtures of salts, ii, 406.
- Hovey, E. O., diabase from Rio de Janeiro, ii, 101.
- Howe, J. L., ruthenium and its nitroso-chlorides, ii, 386.
- Howe, W. T. H. See Penfield.
- Howell, E. E., W. F. Hillebrand, and G. P. Merrill, Beaver Creek meteorite, ii, 356.
- Howell, W. H., action of oxalates on nerve and muscle, ii, 361.
- Howitz, H. See Claus.
- Hubbard, L. L. See König.
- Hughes, R. E., and F. Soddy, action of dry ammonia on dry carbonic anhydride, ii, 233.
- Hugounenq, L., albuminous peritonitis, ii, 199.
- Humburg, O., electromagnetic rotation of the plane of polarisation of some acids and salts in different solvents, ii, 77.
- Hummel, J. J., and W. Cavallo, the

- colouring matter of the Indian dye-stuff Tesu, *PROC.*, 1894, 11.
 Hummel, J. J. See also Perkin.
 Hunsalz, P. See Fischer.
 Huntington, O. W., occurrence of diamonds in meteorites, ii, 195.
 Hurlburt, E. B., alunite from Colorado, ii, 458.
 Huston, H. A., and W. F. McBride, modification of Grandeau's method for the estimation of humus, ii, 264.
 Hutchins, C. C., thermoelectric heights of antimony and bismuth alloys, ii, 436.
 Hutchinson and Patterson, composition of the cotton plant, ii, 362.

I.

- Igelström, L. J., new minerals from the Sjö mine, Sweden, ii, 240.
 — magnetostibian, a new antimony mineral, ii, 459.
 Ilosvay de Nagy Ilosva, L., occurrence of hydrogen peroxide in the air, ii, 277.
 — colorimetric estimation of ammonia, ii, 397.
 Immendorff, H., efficacy of the most important preservatives of stable manure, ii, 210.
 Ingle, H., paradiacetylbenzene, i, 589.
 Inoko, Y., nuclein-bases in the body, ii, 145.
 Ippen, J. A., eklogites and amphibole rocks of Styria, ii, 285.

J.

- Jackson, C. L., and S. Calvert, bromine derivatives of metaphenylenediamine, i, 181.
 Jackson, C. L., and H. N. Herman, trianilidodinitrobenzene and related compounds, i, 180.
 Jackson, C. L., and W. H. Warren, reaction of sodium alkyl oxides with tribromotrininitrobenzene, i, 121.
 — action of water on tribromotrininitrobenzene and on tribromodinitrobenzene, i, 176.
 Jackson, D. H., note on hyponitrites, *PROC.*, 1893, 210.
 Jackson, H., observations on the nature of fluorescence, *TRANS.*, 734.
 Jacob, A. See Auwers.
 Jacobi, W., and G. Merling, behaviour of unsaturated bases towards hydrogen chloride, i, 162.
 Jacobson, P., diazosulphides, i, 123.
 Jacobson, P., and H. Janssen, phenylene diazosulphide and its derivatives, i, 123.
 Jacobson, P., and J. Klein, oxidation products of some aromatic thiourethanes, i, 29.
 Jacobson, P., and A. Kwaysser, substitution derivatives of phenylene diazosulphide, i, 125.
 Jacobson, P., and E. Ney, homologues of phenylene diazosulphide, i, 124.
 Jacobson, P., and C. Schwarz, naphthylene diazosulphide, i, 137.
 Jacobson, V., derivatives of opiazone, i, 429.
 Jäger, G., viscosity of solutions, ii, 442.
 Jaeglé, G. See Besthorn.
 Jaffé, M., benzidinetiobarbimides, i, 418.
 Jaffé, M., and B. Kühn, action of thiocarbonic chloride on ethylenedimine, i, 437.
 Jahn, H., secondary heats of galvanic elements, ii, 5.
 Jahn, H., and G. Möller, molecular refraction, ii, 265.
 Jais, J., estimation of saccharose in mixtures of maltose, isomaltose, and dextrin, and in worts, ii, 123.
 Jakovkin, A. A., dissociation of potassium triiodide in aqueous solution, ii, 271.
 Jannasch, P., separation of metals in alkaline solution by means of hydrogen peroxide, ii, 32.
 — decomposing silicates by concentrated hydrochloric acid under pressure, ii, 254.
 — purification of thorium oxide, ii, 283.
 — estimation of sulphur in sulphides and simultaneous estimation of arsenic, ii, 330.
 Jannasch, P., and J. Lesinsky, quantitative separation of metals in alkaline solution by means of hydrogen peroxide, ii, 32, 71.
 Jannasch, P., and J. Locke, axinite from Bourg d'Oisans, Dauphiné, ii, 241.
 — chemical investigation of topaz, ii, 284.
 — estimation of water in hygroscopic substances, ii, 296.
 — humite free from fluorine, ii, 459.
 Jannasch, P., J. Locke, and J. Lesinsky, thorium compounds, ii, 52.
 Jannasch, P., and E. Rose, separation of bismuth from zinc and nickel, ii, 482.

- Jannasch, P., and M. Weiler, action of sodium on bromomesitylene, i, 604.
- Jannettaz, E., talc from Madagascar, ii, 54.
- Janson, A. v. See Ulffers.
- Janssen, H. See Jacobson.
- Janssen, J., spectrum of oxygen at high temperatures, ii, 337.
- Japp, F. R., and W. B. Davidson, interaction of benzil and benzylamine in presence of zinc chloride, *Proc.*, 1894, 49.
- Japp, F. R., and T. S. Murray, preparation of 2' : 3'-diphenylindoles from benzoïn and primary benzenoid amines, *TRANS.*, 889.
- 2' : 3'-diphenylindoles, i, 90.
- Jay, R., and T. Curtius, methylene-amidoacetoneitrile, i, 162.
- reduction of ethylic diazoacetate, i, 324.
- Jennings, W. L. See Fischer.
- Jensch, E., the taking up of calcium chloride by plants, ii, 250.
- Jentys, S., evolution of free nitrogen in the fermentation of horse excrement, &c., ii, 110.
- Jesser, L., action of lime and alkalis on invert sugar, i, 4.
- action of bases on glucoses, i, 269.
- Joannis, A., action of nitrogen, nitrous oxide, and nitric oxide on alkali amides, ii, 280.
- Joannis and Croizier, compounds of ammonia and silver salts, ii, 380.
- Jørgensen, S. M., constitution of cobalt, chromium, and rhodium bases, ii, 50.
- Johansson, K., enstatite and the products of its alteration, ii, 321.
- John, C. v., taraspate from Vulpera, Switzerland, ii, 240.
- moldavite from Radomilic, Bohemia, ii, 241.
- chemical composition of pyrope and other garnets, ii, 285.
- natural occurrence of humic acid, ii, 457.
- Johnson, G. S., behaviour of the liquid alloy of potassium and sodium in contact with dry oxygen, ii, 190.
- Johnson, S. W., estimation of phosphoric acid, ii, 398.
- Jolles, A., detection of bile pigment in urine, ii, 171.
- detection of nitrites in urine, ii, 253.
- digestibility and nutritive value of margarine, ii, 324.
- bile pigments, ii, 466.
- Joly, A., thallium hypophosphates, ii, 282.
- Joly, A., and E. Leidié, action of heat on ruthenium alkali nitrites, ii, 239.
- Joly, A., and E. Sorel, action of water on bicalcium phosphate, ii, 317.
- Jones, E. W. T., turbidity temperature of oils and fats with glacial acetic acid, ii, 490.
- Jones, H. C., the results of measurements of the freezing points of dilute solutions, *Proc.*, 1894, 101.
- freezing points of dilute solutions, ii, 83.
- estimation of manganese oxides by means of hydrogen peroxide, ii, 121.
- combination of sulphuric acid with water in the presence of acetic acid, ii, 179.
- the solution tension of metals, ii, 374.
- Jones, H. Chapman, action of mercuric chloride on metallic silver, ii, 138.
- Jones, W., reduction product of orthosulphobenzoic chloride, i, 417.
- Jordi. See Kronecker.
- Joseph, W. See Freund.
- Jowett, H. A. D. See Dunstan.
- Jüptner, H. v., separation of nickel and cobalt in steel analysis, ii, 256.
- Jürgens, B. H. See Deventer.
- Jungfleisch, E., and E. Léger, isomeride of cinchonine, i, 262.
- cinchonifine, i, 351.
- Junghanns, K. See Claus.

K.

- Kahlbaum, G. W. A., vapour tension measurements, ii, 131.
- a continuous automatic mercury air-pump, ii, 349.
- Kahle, K., comparative experiments on the E.M.F. of the Clark standard cell, ii, 129.
- preparation of the Clark standard cell, ii, 130.
- Kahlenberg, L., rate of reduction of ferric chloride by stannous chloride, ii, 346.
- Kahlenberg, L., and H. W. Hilmyer, solubility of metallic oxides in normal potassium salts of tartaric and other organic acids, i, 275.
- Kahn, S., 2-methylacridone and 2-methylacridine, i, 529.
- Kalman, S. See Spüller.
- Kann, M., and J. Tafel, oxidation of reduced indoles, i, 293.
- a-phenylethylamine, i, 579.

- Kanonnikoff, I., relation between the refractive and rotatory properties of compounds. New method for determining the specific rotation of optically active substances, ii, 174.
- Karplus, J. P., the ferrocyanide test for urine, ii, 107.
- Kasass, J. J., estimation of acidity in gastric juice, ii, 334.
- Kassner, G., preparation of ferricyanides, i, 218.
- manufacture of oxygen from calcium plumbate, ii, 89.
- Kassner, O., application of sodium peroxide in analysis, ii, 429.
- Kast, H., and F. Lagai, estimation of the sulphur in earth nut oil, ii, 476.
- Kastle, J. H., colour of salts in solution, ii, 376.
- Kastle, J. H., and H. H. Hill, action of benzenesulphonic acid on potassium iodide: new class of organic periodides, i, 291.
- Kaufmann, urea formation, ii, 326.
- Kaufmann, V., 2:4-dimethylacridone and 2:4-dimethylacridine, i, 531.
- Kawalki, W., rate of diffusion of some electrolytes in alcohol, ii, 308, 344.
- Kay, P., action of acids and anhydrides on thiocarbimides, i, 76.
- preparation of di-acid anilides, i, 77.
- Kayser, H., and C. Runge, spectra of tin, lead, arsenic, antimony, and bismuth, ii, 303.
- Kayser, R. See Claus.
- Kehrmann, F., isomerism of derivatives of chloroquinonemetoxyime, i, 185.
- possible stereoisomerism of ethers of metachloroquinoneoximes, i, 460.
- Kehrmann, F., and E. Böhm, complex inorganic acids: decomposition products of phospholutedtungstic acid, ii, 384.
- Kehrmann, F., and J. Messinger, metadiiodoquinone, i, 19.
- oxazine-derivatives from orthamidophenol and hydroxyquinones, i, 54.
- action of picrylic chloride on monalkylorthodiamines, i, 55.
- Keiser, E. H., metallic derivatives of acetylene, i, 61.
- Keiser, E. H., and Miss M. B. Breed, atomic weight of palladium, ii, 141.
- Keller, ergot of rye, i, 630.
- Keller, C. C., estimation of emetine in *Radix ipecacuanhae*, ii, 263.
- Keller, C. C., estimation of the alkaloids in strychnos seeds, ii, 491.
- Kelling, G., potassium thiocyanate in the stomach, ii, 148.
- Kellner, O., Y. Kozai, Y. Mori, and M. Nagoaka, comparative experiments with various phosphates, ii, 116.
- Kemmerich, E., South American meat extract and meat peptone, ii, 150.
- Kemp, J. F., leucite in New Jersey, ii, 322.
- Keppler, F., estimation of cresol or xylenol, ii, 121.
- Kijner, N., derivatives of diethyl succinosuccinate, i, 67.
- Killing, C., gravimetric estimation of sugar by Fehling's solution, ii, 487.
- Kingzett, C. T., the aerial oxidation of terpenes and essential oils, *Proc.*, 1894, 51.
- Kippenberger, C., a simple apparatus for measuring gases, ii, 472.
- volumetric estimation of hydroxides and normal and hydric carbonates, ii, 478.
- Kippenberger, K., crystallised normal magnesium carbonate, ii, 281.
- Kipping, F. S., the formation of the hydrocarbon "truxene" from phenylpropionic acid and from hydrindone, *Trans.*, 269.
- α -hydrindone and its derivatives. Part I, *Trans.*, 480.
- the action of aluminium on heptylic chloride, *Proc.*, 1893, 208; 1894, 60.
- the conversion of α -hydrindone-oxime into hydrocarbostyryl, *Proc.*, 1893, 240.
- Kipping, F. S., and W. J. Pope, the preparation of sulphonic derivatives of camphor, *Proc.*, 1894, 163.
- dextrorotatory camphor sulphonic chloride, *Proc.*, 1894, 164.
- Kišpatic, M., meerscham from Bosnia, ii, 284.
- Kissling, R., estimation of nicotine in tobacco, ii, 75.
- Kitzing, J., $\alpha_1\alpha_2$ -dimethyladipic acids, i, 441.
- Kjellin, C., substituted hydroxylamines, i, 9.
- hydroxylamine and its homologues, i, 223.
- Kleber, C. See Stohmann.
- Klebs, E., diamidopropionic acid, i, 439.
- Klecki, V. v., colorimetric estimation of vanadium in presence of large quantities of iron, ii, 162.

- Klecki, V. v., separation of vanadic acid from chromic acid, ii, 163.
- Klein, J., santonin, i, 51.
- Klein, J. See also Jacobson.
- Kleine, G., action of ethylenic, propylenic, isobutylenic, pseudobutylenic, and amylenic bromides on trimethylamine, i, 271.
- Klieeisen, J., thionyl-derivatives of substituted phenylhydrazines and of hydrazine benzoic acids, i, 596.
- Klimenko, E., and Y. Bandalin, dry distillation of jalapin, i, 93.
- Klobb, T., combination of pyridine with permanganates, i, 548.
- ethylicphenacycyanacetates, i, 592.
- chromium sulphates and double sulphates, ii, 95.
- Kloppel, E. See Stobbe.
- Klug, F., estimation of albumin, ii, 172.
- Knauer, W., chlorophosphines of bi-basic phenols, i, 587.
- Knecht, E. See Schunk.
- Knight, N. See Erlenmeyer.
- Knoevenagel, E., preparation of glutaric acid, i, 570.
- synthesis of symmetrical carvacrol, i, 575.
- derivatives of 1:3-diketocyclohexane (dihydroresorcinol), i, 576.
- Knorr, L., morphine, i, 430.
- pyrazole, i, 543.
- condensation of methylhydrazine with β -diketones, i, 545.
- Knorr, L., and F. Haber, constitution of ethylic diacetosuccinate, i, 360.
- Knorr, L., and B. Oettinger, condensation of hydrazine with dimethylacetylacetone, i, 546.
- Knorr, L., and B. Reuter, acetoacetamide, i, 371.
- Knorr, L., and M. Scheidt, action of heat on ethylic dibenzoylsuccinate, i, 376.
- Kobert, R., and W. Lilienthal, the wall lichen, *Parmelia parietina*, i, 541.
- Koch, F. See Paal.
- Kock, K. See Eckenroth.
- König, E., derivatives of oxybiazolone and thiobiazolone, i, 97.
- König, E., and S. v. Kostanecki, hydroxyanthone derivatives of maclurin, i, 534.
- König, E. See also Freund.
- König, F. See Hinsberg.
- König, G. A., and L. L. Hubbard, powellite from a new locality, ii, 240.
- König, J., isocaproic acid and the solubilities of its calcium, barium, and silver salts, i, 318.
- König, J. See also Fricke.
- Koenigs, W., formation of trimethylsuccinic acid from camphoric acid, i, 46.
- the hydrolytic decomposition of chinine and cinchine, i, 392.
- merochinine and cincholeupone, i, 477.
- Koenigs, W., and J. Hoerlin, sulphocamphylic acid, i, 47.
- cinchotine or hydrocinchotine, i, 629.
- Kohlrausch, F., velocity of ions, ii, 79.
- action of water on glass, ii, 94.
- solutions of sodium silicates, and the influence of time on their constitution, ii, 133.
- electrodes for resistance determinations in electrolytes, ii, 222.
- exact method for the determination of the reduction of the freezing point, ii, 228.
- Kohlrausch, F., and W. Hallwachs, density of dilute aqueous solutions, ii, 441.
- Kohlrausch, F., and A. Heydweiller, pure water, ii, 375.
- Kohlrausch, F., and F. Rose, electrolytic determination of the solubility of slightly soluble substances, ii, 7.
- Kolb, W., action of ethylic sodiomalonnate on cyanuric chloride, i, 229.
- Kolotoff, S., decomposition of hydroxylamine by sodium hydroxide, ii, 187.
- Komarowsky, A., and S. v. Kostanecki, benzoiresorcinol, i, 506.
- Komppa, G., new synthesis of coumarone, i, 130.
- Kondakoff, I., syntheses by means of zinc chloride, i, 113.
- isomerism in the cyanogen series, i, 266.
- Koninck, L. L. de, Schloesing's method of estimating nitric acid, ii, 296.
- estimation of silicon and aluminium in iron, ii, 333.
- Konovaloff, D., properties of mixtures of amines and acids, ii, 5.
- Konovaloff, M., action of nitric acid on nononaphthene, i, 159.
- action of nitric acid on saturated hydrocarbons, i, 265.
- action of nitric acid on aromatic hydrocarbons, i, 277.
- Kopp, K., thioaldehydes and their conversion into derivatives of stilbene, i, 128.
- Koppert, K. See Gattermann.

- Kortright, F. L. See Dennis, Trevor.
- Kosmann, B., hydrocalcite from Wolmsdorff, ii, 239.
- constitution of combined water in inorganic salts, ii, 416.
- Kossel, A., nucleic acid, i, 214.
- Kossel, A., and A. Neumann, thymine, a decomposition product of nucleic acid, i, 156.
- hydrolysis of nucleic acids, i, 631.
- Kostanecki, S. v., 2 : 3'-hydroxy-naphthoic acid, i, 91.
- chrysin, i, 93.
- constitution of euxanthone, i, 533.
- Kostanecki, S. v., and J. Tambor, synthesis of gentisin, i, 340.
- Kostanecki, S. v., and C. Weber, hydroxy- β -phenylcoumarin, i, 88.
- Kostanecki, S. v. See also König, Komarowsky.
- Kosutany, T., sun flower cake, ii, 155.
- pumpkin seed cake, ii, 156.
- Kothe, R. See Dressel.
- Kozai, Y. See Kellner.
- Kraevitch, K. D., pressure of saturated vapours, ii, 269.
- Krafft, F., new method of preparing ethylic ether and its homologues, i, 62.
- apparatus for regulating diminished pressures, ii, 379.
- Krafft, F., and R. E. Lyons, diphenylic selenide and its derivatives, i, 448.
- diphenylic telluride and the preparation of sulphides, selenides, and tellurides, i, 448.
- Krafft, F., and A. Roos, ethereal salts of sulphonic acids, i, 91.
- Krafft, F., and A. Stern, action of water on soap, i, 439.
- the cleansing action of soap, i, 440.
- Krafft, F., and W. Vorster, conversion of diphenylsulphone into diphenylic sulphide and diphenylic selenide, i, 88.
- Krasusky, K., action of bromine on diallyl, i, 482.
- Kraut, K., volatility of ammonium chloride, ii, 44.
- Kreichgauer, A., electrolytic estimation of lead, ii, 217.
- Kreider, D. A. See Gooch. Penfield.
- Kremers, E. See Urban.
- Kretschmer, F. See Paal.
- Kromer, N., resin of jalap, i, 540.
- Kronecker, H., and J. ordi, asphyxia, ii, 143.
- Kronstein, A. See Engler.
- Kronsthal, W. See Rügheimer.
- Krückeberg, F., action of diazobenzene chloride and its homologues on ethylic cyanacetate, i, 369.
- Krückeberg, W. See Paal.
- Krüger, M., adenine and hypoxanthine, i, 212.
- precipitability of uric acid and bases of the uric acid group as cuprous oxide compounds, ii, 74.
- estimation of nitrogen in benzene-, pyridine-, and quinoline-derivatives by Kjeldahl's method, ii, 258.
- wet method for estimating nitrogen in nitrates and in nitro- and nitroso-compounds, ii, 397.
- Krüger, P. See Tiemann.
- Krüss, G., sulphur compounds of thorium, ii, 238.
- Krüss, G., and E. Thiele, condition of iodine in solution, and the probable cause of the different colour of the solutions, ii, 445.
- Krüss, H., colorimeter with Lummer-Brodhun double prism, ii, 158.
- Kühling, O., action of aromatic aldehydes on para-substituted anilines, i, 261.
- oxidation of tolualloxazine, i, 624.
- Kühn, B. See Jaffé.
- Kühn, G., and others, digestibility of fresh brewers' grains and meat meal, earth nut cake, rice meal, and other foods, ii, 389.
- digestion of nitrogenous food constituents by treatment with gastric juice and pancreas extracts, ii, 389.
- feeding and respiration experiments with bullocks on fat formation from carbohydrates, and the relations of food to elimination of carbohydrates, ii, 391.
- Kühne, W., tuberculin, ii, 108.
- Külz, E., and J. Vogel, varieties of sugar formed by animal ferments from starch and glycogen, ii, 325.
- Küssel, A. See Rügheimer.
- Küster, F. W., solidification of dilute solutions of antimony in tin, ii, 97.
- hydrogen sulphide apparatus, ii, 134.
- titration method of determining molecular weights in solutions, ii, 180.
- diminished solubility, ii, 180.
- molecular weight in solid solutions, ii, 274.
- acidimetric estimation of substances that form molecular compounds with picric acid, ii, 333.
- iodometric estimation of β -naphthol, ii, 432.

- Küster, F. W., and A. Stallberg, derivatives of mesitylene: hydrolysis of aromatic nitriles, i, 278.
 Küster, W., hæmatin hydrochloride, and hydrobromide, i, 312.
 Kuttner, S. See Paal.
 Kuhleemann, F. See Bamberger.
 Kulisch, P., testing for boric acid in wine ash, ii, 331.
 Kulisch, V., methylethylpropionic acid and its salts, i, 12.
 — synthesis of quinoline, i, 552.
 Kunz, P., phenol and naphthol chlorophosphines, i, 586.
 Kunze, W. E., separation and estimation of the cacao alkaloids, ii, 168.
 Kunz-Krause, H., chemical constituents of *Ilex Paraguayensis*, ii, 327.
 Kuriloff, V., dissociation-pressure and the individuality of chemical compounds, ii, 38.
 Kurnakoff, N., complex metallic bases, i, 273.
 — constitution of complex ammonium bases, ii, 416.
 Kwaysser, A. See Jacobson.

L.

- Laar, J. J. van, dissociation constants of water and hydrocyanic acid, ii, 132.
 — velocity of hydrolysis of methylic acetate by water, ii, 309.
 Laborde. See Grimaux.
 Lachmann, A. See Thiele.
 Lachman, A., and J. Thiele, nitramines, i, 399.
 Lachowicz, B., anilides of benzoïn and benzile, i, 39.
 Ladell, R. S., essential oil of lemon, i, 254.
 Ladenburg, A., reduction by means of sodium and alcohol, i, 174.
 — resolution of α -pipercoline and tetrahydroquinaldine into their optical isomerides, i, 208.
 — isoconiine, i, 213.
 — isopipercoline and the asymmetric nitrogen atom, i, 306.
 — pure *d*-coniine, i, 307.
 — crystalline form of isoconiine platinochloride, i, 307.
 — crystalline form of β -pipercoline tartrate, i, 425.
 Ladenburg, A., M. Mugdan, and O. Brzostowicz, constitution of dimethylpiperidine and its homologues, i, 555.
 Lafont, J. See Bouchardat.
 Lagai, F. See Kast.
 Lagodzinski, K., β -anthraquinone, i, 420.
 Lagodzinski, K., and M. Mateescu, constitution of polythymoquinone, i, 328.
 Laire, G. de, and F. Tiemann, iridin, the glucoside of violet roots, i, 47.
 Landau, H., solubility of silver, calcium, and barium cœnanthylates, and of calcium and barium trimethylacetates, i, 226.
 Landolt, H., symbol for denoting the optical activity of compounds, ii, 337.
 Landsteiner, K., cholic acid, i, 432.
 Lang, L., estimation of nitrogen in coal gas, ii, 118.
 Langbein, H. See Stohmann.
 Lange, H., the truxillic acids, i, 420.
 Lapworth, A. See Armstrong.
 Lasché, estimation of sugars by fermentation, ii, 487.
 Lassar-Cohn, crystalline acids of human bile, ii, 326.
 Laszczynski, S. v., solubility of inorganic salts in organic solvents, ii, 444.
 Lauck, H., estimation of ergot in meals and brans, ii, 166.
 Lauder, A. See Dobbie.
 Laurie, A. P., the E.M.F. of alloys in a voltaic cell, TRANS., 1030.
 — volumetric estimation of lead, ii, 68.
 Lauth, C., dimethylamidobenzoic acids, i, 86.
 — oxazines and eurhodines, i, 303.
 Laves, E., fats of human milk, ii, 392.
 — respiration in man, ii, 423.
 Laves, E. See also Weintraud.
 Lea, M. C., endothermic reactions effected by mechanical force, ii, 85, 444.
 — new method of determining the relative affinities of certain acids, ii, 347.
 Lean, B., homologues of butanetetracarboxylic acid and of adipic acid, TRANS., 995.
 — notes on the affinities of polybasic acids, TRANS., 1024.
 Le Bel, J. A., optical rotation, ii, 77.
 — variation of rotatory power under the influence of temperature, ii, 304, 436.
 Le Blanc, M., electromotive forces of polarisation, ii, 4.
 — minimum E.M.F. required to decompose electrolytes, ii, 223, 267.
 — electrolytic decomposition of water, ii, 225.

- Le Canu. See Allain le Canu.
- Le Chatelier, H., fusibility of mixtures of isomorphous salts, ii, 179.
- marly limestones, ii, 195.
- fusibility of isomorphous mixtures of some double carbonates, ii, 223.
- general law of solubility of normal substances, ii, 272.
- mutual solubility of salts, ii, 272.
- fusibility of mixtures of salts, ii, 307.
- Lederer, L., new synthesis of phenol-alcohols, i, 577.
- Leduc, A., weight of a litre of normal air: densities of gases, ii, 81.
- Leent, F. H. van. See Bruyn.
- Léger, E. See Jungfleisch.
- Lehmann, F., O. Hagemann, and N. Zuntz, changes of substance in the horse, ii, 196.
- Lehmann, J., and W. Hempel, analyses of milk, ii, 360.
- Lehmann, M., sulphur derivatives of propylamine, i, 567.
- Lehmann, O., sedimentation and dye-absorption, ii, 349.
- Leibius, A., obituary notice of, TRANS., 388.
- Leicester, J., the interaction of quinones with metanitriline and nitro-paratoluidine, PROC., 1893, 215; i, 510.
- Leichsenring, M., flores koso, i, 424.
- Leidié, E. See Joly.
- Lellmann, E., and J. Haas, reduction of dinitro-compounds in alkaline solution, i, 20.
- Lellmann, E., and R. Hailer, amido-amidine bases, i, 79.
- Lellmann, E., and A. Liebmann, affinity coefficients of acids, ii, 230.
- — affinity coefficients of organic bases, ii, 230.
- Lemberg, J., microchemical investigation of minerals, ii, 100.
- Lemoine, G., expenditure of energy equivalent to the chemical action of light, ii, 275.
- Lengfeld, F., and J. Stieglitz, action of phosphorus pentachloride on urethanes, i, 186.
- — alkylisocarbamides, i, 333.
- — nitrogen halogen compounds, i, 415.
- Lengyel, B. v., a new sulphide of carbon, ii, 90.
- Lenz, W., estimation of essential oils, especially in oil of cloves and oil of mace, ii, 335.
- Leo, H., excretion of nitrogen in diabetes, ii, 149.
- Leonard, N., detection of nitronaphthalene in mineral oils, ii, 121.
- Lepereq, G., action of ethylic bromopropionate on sodium nitrite, i, 114.
- Lepierre, C., ptomaine from damaged cheese, i, 309.
- Lépine, E. See Berlioz.
- Lepsius, B., formation of ethereal salts of aromatic acids, i, 464.
- Le Roy, G. A., estimation of boric acid in boronatrocalcite, ii, 31.
- Lescœur, H., dissociation of saline hydrates and analogous compounds, ii, 343.
- Lesinsky, J. See Jannasch.
- Lespieau, R., cryoscopy of the hydrate $H_2SO_4 \cdot H_2O$, ii, 228.
- Lesser, R., phenyl- β -naphthylamine-sulphonic acids and derived azo-colours, i, 607.
- Le Sueur, H. R. See Collie.
- Levene, P. A., phloridzin-diabetes, ii, 468.
- Levi, E., diisonitrosobromisosafrrole, i, 26.
- Levi, E. See also Angeli.
- Levy, M., bone in osteomalacia, ii, 358.
- Lewes, V. B., action of heat on ethylene, i, 481.
- Lewin, L., arrow poisons, ii, 361.
- Lewinsky, J., asparagine in the organism, ii, 246.
- Lewis, W. H. See Chattaway.
- Ley, H., compounds of hexamethylenamine with hydrogen bismuthiodide, i, 164.
- Leybold, W., estimation of cyanides in gas refuse, ii, 36.
- Lieben, A., estimation of formic acid, ii, 219.
- Liebermann, C., alloxanthracene and the formation of allo-acids, i, 173.
- the β -oxalkylbenzylmalonic acids, i, 193.
- truxene, i, 420.
- allocinnamic acid, i, 526.
- technical preparation of cocaine from associated alkaloids, i, 557.
- Liebermann, C. See also Fischer.
- Liebermann, L., secretion of urine, ii, 59.
- Liebermann, L., and B. v. Bittó, nucleic acid, i, 155.
- Liebmann, A. See Lellmann.
- Liebrich, A., bauxite from the Vogelberg, ii, 460.
- Liescher, G., the nitrogen question, ii, 201.
- Lieunigh, F., estimation of alkaloids by Hulsebosch's process, ii, 126.
- Lilienfeld, L., chemistry of leucocytes, ii, 146.

- Lilienthal, W. See Kobert.
- Liljensztern, B., and L. Marchlewski, decomposition of nitrous acid in nitric acid solution, ii, 41.
- Limpricht, H., thiosulphonic acids and sulphinic acids, i, 292.
- Lindemann and Motteu, estimation of lead, ii, 161.
- Linder, S. E., and H. Picton, solution and pseudo-solution, *Proc.*, 1894, 166, 167.
- Lindet, L., formation of saccharose during the germination of barley, ii, 64.
- development and maturation of cider apples, ii, 115.
- Linebarger, C. E., benzoic halogen amides, i, 332.
- determination of small dissociation tensions of hydrated salts, ii, 270.
- solubility of mercuric and sodium chlorides in ethylic acetate, ii, 273.
- modifications of Beckmann's ebullioscope apparatus, ii, 408.
- Linge, A. R. van. See Behrens.
- Lintner, C. J., starch, i, 161.
- Lintner, C. J., and G. Düll, resolution of starch by the action of diastase, i, 5.
- Lippmann, E., isomeride of brucine methiodide, i, 352.
- Lippmann, E., and F. Fleissner, isoquinine and nichine, i, 99.
- pseudocinchonine, i, 152.
- Lippmann, E. O. v., decomposition products of calcium succate, i, 105.
- decomposition products of cancsugar, i, 106.
- nitrogenous acid in beet juice, i, 115.
- List, O., indoxazen-group, i, 39.
- Living, G. D., and J. Dewar, refractive indices of liquid nitrogen and air, ii, 37.
- Liversidge, A., crystallisation of gold in hexagonal forms, ii, 353.
- condition of gold in quartz and calcite veins, ii, 354.
- Locher, J., 4-methylacridone and 4-methylacridine, i, 530.
- ethylic terephthalodicyanacetate, i, 593.
- Locke, F. S., oxalates and muscle rigor, ii, 465.
- Locke, J. See Jannasch.
- Lockhart, A. E. See Gattermann.
- Lockyer, J. N., spectrum of iron, ii, 173.
- Löb, W., determination of the molecular weight of soluble compounds by means of red blood corpuscles, ii, 411.
- Loesner, H. See Michaelis.
- Loew, O., physiological function of calcium and magnesium salts in the animal organism, ii, 206.
- alkaline reaction during assimilation in aquatic plants, ii, 425.
- Loewenherz, R., the diphenyl-group, i, 38.
- saturated solutions, ii, 273.
- Loewenstein, E. See Harries.
- Löwenthal, S., chlorochromates and amidochromates, ii, 383.
- Lomnitz, E., trimethyltrimethylene-trisulphone, i, 444.
- Lonnes, C., iodometric studies and the constitution of iodide of starch, ii, 475.
- Looft, E., new constituents of wood oil, i, 399.
- methylketopentamethylene and its derivatives: symmetrical ketopentamethylene, i, 405.
- Loomis, E. H., exact method for the determination of the reduction of the freezing point, ii, 228.
- Lorenz, R., estimation of carbon in steel, ii, 119.
- Loretz, H., paramelaphyre, ii, 285.
- Losanitsch, S. M., milosin, alexandrolite, and avalite, ii, 322.
- Lossen, W., stereoisomerism of the benzhydroxamic acids, i, 27.
- action of hydroxylamine and ethoxylamine on ethylic oxalate, i, 358.
- dihydroxamic acids, i, 415.
- Lossen, W., and O. Gerlach, bromomesaonic acid, i, 441.
- Loth, F., and A. Michaelis, action of thionyl chloride on organic compounds, i, 594.
- Lotsy, J. P., assimilation of free nitrogen by white and black mustard, ii, 205.
- Louis, H., an improved specific gravity bottle, ii, 308.
- Lovén, J. M., affinity constants of some sulphur compounds, i, 325.
- Lucht, P. See Friedlaender.
- Lücker, C. See Paal.
- Lüdecke, C., heintzite, ii, 100.
- Lüdtke, modifications of silver, ii, 92.
- Luggin, H., an electrode sensitive to light, ii, 405.
- Lumière, A., and A. Seyewetz, organic salts of diamidophenol and triamidophenol, i, 21.
- Lunge, G., and A. Lwoff, estimation of very small quantities of the nitrogen acids, ii, 398.
- Lussana, S. See Bellati.
- Lutze, F. See Freund.
- Luxmore, C. M. See Dunstan.

- Lwoff, A., Lunge's, gas tables, ii, 118.
 Lwoff, A. See also Lunge.
 Lydall, F. See Hopkinson.
 Lyons, R. E. See Krafft.

M.

- Maas, P. See Smith.
 Mabery, C. F., examination of Canadian sulphur-petroleum, i, 266.
 Mabery, C. F., and A. W. Smith, sulphur compounds in Ohio petroleum, i, 266.
 Macallum, A. B., absorption of iron, ii, 244.
 McBride, W. F. See Huston.
 McCoy, H. N. See Stone.
 MacDonald, G. W., and O. Masson, a product of the action of nitric oxide on sodium ethylate, *TRANS.*, 944.
 McElroy, K. P., detection of salicylic acid in food, ii, 299.
 MacGregor, J. See Frankland.
 MacGregory, A. C., electrical conductivity of some solutions of salts, especially of calcium, strontium, and barium, ii, 130.
 McIlhiney, P. C., a new method of analysing fats and resins, ii, 370.
 ——— estimation of rosin oil in mineral oils, ii, 402.
 McKillop. See Pendlebury.
 McLeod, H., note on the liberation of chlorine during the heating of potassic chlorate and manganic peroxide, *TRANS.*, 202.
 Märcker, manuring with phosphates, &c., ii, 364.
 Magnani. See Angeli.
 Magnani, F., action of sulphur chloride on acetylacetone, i, 209.
 Magnanini, G., hypothesis of coloration of the ions, ii, 226.
 ——— nature of osmotic pressure, ii, 228.
 Magnanini, G., and T. Bentivoglio, action of acetic anhydride on succinic acid in presence of calcium chloride, i, 501.
 ——— absorption spectra of solutions of the chromoxalates of the blue series, ii, 129.
 ——— electrical conductivity of solutions of salts of organic acids in presence of boric acid, ii, 130.
 Magnus-Levy, A., respiratory exchange, ii, 102.
 Mahon, R. W., effect of platinum in iron solutions, ii, 68.
 Malbot, H., and A. Malbot, formation of mannitol in wines, i, 269, 395.
 Malfatti, H., simultaneous estimation of carbon, hydrogen, and nitrogen, ii, 257.
 Mamert, R. T. See Thomas-Mamert.
 Manasse, O., synthesis of aromatic hydroxy-alcohols, i, 577.
 Manasse, O., and H. Rupe, oxidation of menthone, i, 470.
 Manasse, O. See also Baeyer.
 Mangold, C., ricinoleic acid. ricinelaic acid and ricinstearolic acid, i, 492.
 Marcacci, A., influence of carbonic oxide on germination, ii, 25.
 Marchal, E., production of ammonia in the soil by microbes, ii, 248.
 Marchesini, G., action of halogenated ketones on thiocarbamide and on ammonium thiocarbonate, i, 209.
 ——— alkylamidothiazoles and their isomerides, i, 302.
 Marchetti, G. See Balbiano.
 Marchlewski, L., constitution of glucose and the glucosides, i, 104.
 ——— constitution of the aniline derivatives of glucose, i, 511.
 Marchlewski, L. See also Liljensztern, Schunck.
 Marckwald, W., the pyridine-series, i, 381.
 ——— constitution of cycloid systems, i, 474.
 Marcusson, J., the thiophen-group, i, 16.
 Margulies, R., oxidation of normal fatty acids, i, 491.
 Mariani, G., reducing action of rancid fat and lard on silver nitrate, ii, 75.
 Mariani, G., and E. Tasselli, estimation of ferric oxide and alumina in mineral phosphates, ii, 69.
 Markovnikoff, V., suberone, i, 160, 265.
 ——— preparation of suberic acid, i, 172.
 ——— isomeric octonaphthenic acids, i, 244.
 ——— ethereal salts of natural naphthenic acids, i, 532.
 Marsh, J. E., a sulphate of oxamide, *PROC.*, 1894, 58.
 Marsh, J. E., and J. A. Gardner, researches on the terpenes. IV. phosphorus-derivatives of camphene, *TRANS.*, 35.
 ——— derivatives of camphene containing halogens, *PROC.*, 1894, 57.
 Martelli, D., composition of the ash of olive bark after extraction with water and with carbon bisulphide, ii, 329.
 Marthen, G., carbonic oxide poisoning, ii, 360.

- Martin, C. J., non-coagulable blood, ii, 58.
 — effects of snake venom, ii, 61.
 Martz, E. See Haeussermann.
 Mason, A. T., and G. R. Winder, interaction of benzylamine and ethylic chloracetate, *TRANS.*, 187.
 — — — condensation products of benzylamine and several benzenoid alkaloids, *TRANS.*, 191.
 Massol, G., heat of neutralisation of camphoric acid, i, 142.
 Masson, M., analysis of commercial sodium nitrite, ii, 476.
 Masson, O. See MacDonald.
 Massot, W., β -dimethylacrylic acid, i, 356.
 — — — condensation of methyl ethyl ketone with malonic acid, i, 438.
 Mateescu, M. See Lagodinski.
 Mathias, E., critical pressures in homologous series of carbon compounds, ii, 82.
 — — — specific heat of liquid sulphurous anhydride, ii, 439.
 Matignon, C., substitution of alkyl radicles in union with carbon and nitrogen, i, 567.
 Matignon. See also Berthelot.
 Maull, C., mechanical agitator, ii, 379.
 Maumené, E., preparation of silver formate, i, 12.
 — — — barium antimony tartrate, i, 68.
 — — — emetics, i, 500.
 Maumus, transformation of starch into sugar by *Bacillus anthracis*, ii, 62.
 Mauthner, J., and W. Suida, cholesterol, i, 326, 486.
 May, R., metabolism in fever, ii, 108.
 Meara, F. S. See Chittenden.
 Meillerè, G., estimation of chlorides in products of organic origin, ii, 427.
 Meldola, R., and E. S. Hanes, azo-compounds of the ortho series, *TRANS.*, 834.
 — — — notes on meta-azo-compounds, *PROC.*, 1894, 140.
 Meldola, R., and F. Southerden, azoparacresol-derivatives, *PROC.*, 1894, 118.
 Meldola, R., and F. W. Streatfeild, paradinitroazoamidobenzene, i, 581.
 Melikoff, P., and L. Pissarjewsky, analysis of a meteorite from Zabrodje, ii, 323.
 Mendel, L. B. See Chittenden.
 Mengin, separation of tin from antimony, ii, 483.
 Menicanti, G., and W. Prausnitz, dietetic value of different kinds of bread, ii, 245.
 Menozzi, A., and G. Appiani, derivatives of glutamic acid and pyroglutamic acid and pyroglutamides, i, 498.
 Menozzi, A., and A. Pantoli, transformation products of normal α -amidovaleric acid, i, 114.
 Merling, G., dihydroresorcinol, i, 177.
 Merling, G. See also Jacobi.
 Merrill, G. P. See Howell.
 Merz, V., and S. Paschkowesky, new formation of secondary aromatic amines, i, 122.
 Meslans, M., rate of etherification of hydrogen fluoride, i, 103.
 Messinger, J. See Kehrman.
 Metzner, R. See Ditte.
 Meyenberg, A. See Einhorn.
 Meyer, E. v., phenylisoxazonimide, i, 429.
 Meyer, F., elementary composition of dog's urine on flesh diet, ii, 107.
 — — — estimation of sulphur in regenerated gas purifying material, ii, 214.
 — — — valuation of zinc dust, ii, 332.
 — — — analysis of zinc, zinc dust, zinc ores, &c., ii, 400.
 — — — assay of zinc dust, ii, 479.
 Meyer, H., derivatives of picolinic acid and their conversion into α -amidopyridine, i, 425.
 Meyer, H. See also Herzig.
 Meyer, L., lecture experiment:—electrolysis of hydrochloric acid, ii, 232.
 Meyer, L., jun., and O. Stein, separation of phenyldibromobutyric acid into its optically active constituents, i, 333.
 Meyer, V., ethylnitrolic acid and nitromethane, i, 436.
 Meyer, V., H. Gumbel, and J. J. Sudborough, formation of ethereal salts of aromatic acids, i, 243.
 Meyer, V., and A. Münch, temperature of explosion of mixtures of gases, ii, 11.
 Meyer, V., and W. Riddle, melting points of inorganic salts, ii, 6.
 — — — melting point determinations at a red heat, ii, 268.
 Meyer, V., and J. J. Sudborough, law of etherification of aromatic acids, i, 463.
 Meyer, V. See also Altschul, Harris, Hartmann.
 Meyerhoffer, W., the hydrate theory, ii, 9.
 Michael, A., ring formation in organic nitrogen compounds, i, 164.
 — — — additive products of ethylic sod-acetoacetate and sodiomalonate with ethereal salts of unsaturated acids, i, 172.

- Michael, A., action of ethylic sodio-malonate on benzalacetone, i, 598.
- Michael, A., and G. Tissot, bromomesaconic acid, i, 570.
- Michaelis, A., aromatic chlorophosphines, i, 586.
- Michaelis, A., M. Belrens, J. Rabinerson, and W. Geisler, aromatic boron compounds, i, 190.
- Michaelis, A., and H. v. Gimborn, betaine and choline of triphenylphosphine, i, 189.
- Michaelis, A., and H. Loesner, nitrophenylarsen-compounds, i, 187.
- Michaelis, A., and G. Schroeter, phosphazobenzene chloride and its derivatives, i, 241.
- Michaelis, A., and G. Schulze, aromatic oxychlorophosphines, i, 128, 588.
- Michaelis, A. See also Loth.
- Michel, O., and E. Grandmougin, metanitroorthocresol, i, 18.
- action of ammonia on some peroxides, ii, 12.
- Micko, C., estimation of malic acid, ii, 124.
- Mieran, F., invertase in bananas, ii, 205.
- Mijers, J., degree of affinity of some insoluble mineral bases, ii, 229.
- Millar, J. H. See Tilden.
- Miller, E. H., succinimide, i, 442.
- Miller, J. A., the analysis of malt, ii, 371.
- Miller, W. v., and J. Hofer, electrolysis of salts of organic acids, i, 228.
- Miller, W. v., and J. Plöchl, stereoisomeric anil-compounds, i, 410.
- Miller, W. v., J. Plöchl, and others, hydrogen cyanide a reagent for symmetrical oximes, hydrazones, and anil-compounds, i, 413.
- Miller, W. v., and G. Rohde, colouring matters of cochineal, i, 94.
- constitution of cinchonine, i, 431, 432.
- Mills, C., studies on the structure of azobenzene. The action of bromine on azobenzene: production of tetrabromobenzidine, *TRANS.*, 51.
- Milojković, D., hydration of the calcium salts of succinic and methyl-ethylacetic acids, i, 228.
- Minguin, J., derivatives of cyanocamphor and of ethereal salts of camphocarboxylic acid, i, 202.
- Minguin. See also Haller.
- Minor, J. C., jun. See Penfield.
- Minunni, G., and G. Ortoleva, constitution of the amido-derivatives of hydroxylamine, i, 127.
- benzileoximes, i, 135.
- Miolati, A. See Werner.
- Mitchell, C. A., analysis of water from the Zem-Zem well in Mecca, *Proc.*, 1893, 245.
- Mitrakev, C., oats manured with ammonium sulphate, ii, 426.
- Mittelbach, F., specific rotatory power of fibrinogen, i, 480.
- Mittelmeier, H. See Scheibler.
- Möhlau, R., β -naphtholcarboxylic acid (m. p. 216°), i, 138.
- Moeller, G., molecular weight of persulphates and permolybdates, ii, 90.
- Möller, G. See Jahm.
- Mörner, C. T., ovomucoid, i, 264.
- chemistry of the refractive media of the eye, ii, 22.
- Mörner, K. A. H., reducing substance from serum-globulin, i, 352.
- Mohr, P., estimation of the acidity of the stomach, ii, 424.
- Moissan, H., calcium carbide, i, 313.
- barium and strontium carbides, i, 314.
- action of the electric arc on the diamond, amorphous boron, and crystallised silicon, ii, 42.
- crystallised carbon silicide, ii, 43.
- reverberatory electrical furnace with movable electrodes, ii, 78.
- reproduction of the diamond, ii, 189.
- carbon boride, ii, 279.
- specific gravity of fused magnesium oxide, ii, 281.
- impurities in aluminium, ii, 450.
- aluminium carbide, ii, 450.
- chromium, ii, 452.
- Moitessier, J. See Bertin-Sans.
- Molengraaff, G. A. F., cordierite in an eruptive rock of South Africa, ii, 100.
- Molisch, H., occurrence and detection of indican in plants, ii, 113.
- Monnet, P., and P. Barbier, new source of rhodinol, i, 141.
- Montemartini, C., dimorphism of potassium fluoroborate, ii, 416.
- Monteverde, A. N., mannitol and dulcitol in the vegetable kingdom, ii, 25.
- Moor, C. G. See Chattaway.
- Moore, B., rate of crystallisation of supercooled solutions, ii, 84.
- Moore, G. D., and D. F. O'Regan, formation of chloro- and bromobenzoic anhydrides, i, 244.
- formation of substituted benzophenones, i, 251.
- Moore, T., action of reducing agents on potassium nickelocyanide, i, 102.
- oxidation of potassium cobaltocyanide, i, 102.

- Moreau, relation between the rotatory power of camphor and the molecular weights of certain solvents, i, 613.
 Mori, Y. See Kellner.
 Morrell, R. S. See Fischer, Ruhe-
 mann.
 Morris, G. H., glucose, i, 258.
 Morris, G. H., and J. G. Wells, frac-
 tional fermentation: the amyloins
 (maltodextrins), i, 223.
 Morris, G. H. See also Brown.
 Moses, A. J. See Waller.
 Motteu. See Lindemann.
 Moureu, C., ketones from acrylic acid,
 i, 30.
 Mourlot, A., vanadiniferous coal,
 ii, 53.
 Mühlhaueser, O., analysis of silicon
 carbide, ii, 31.
 — silicon carbide, ii, 42.
 Müller, F. See Fischer.
 Müller, H. K., production of crystals
 of calcium oxalate in vegetable cells,
 ii, 65.
 Müller, J. See Bamberger.
 Müller, W., analysis of garnet, ii, 460.
 Münch, A. See Meyer.
 Mugdan, M. See Ladenburg.
 Muller, J. A., composition of algæ and
 other marine plants of the coast of
 Algeria, ii, 208.
 Muller, P. T., multirotation of sugars,
 i, 268.
 — derivatives of ethereal salts of
 cyanacetic acid, i, 317.
 — molecular weight of ferric chloride,
 ii, 282.
 Muntz, I., estimation of proteids and
 extractives in cow's and human milk,
 ii, 106.
 Muntz, A. See Chatin.
 Murray, T. S. See Japp.
 Muspratt, M., estimation of cadmium,
 ii, 333.
 Mussi, U., active principle of *Dorstenia*
contrayerva, i, 264.
 Muthmann, W., volume theory of
 crystalline structure, ii, 181.
 Mylius, F., and O. Fromm, precipita-
 tion of metals from dilute solutions,
 ii, 235.
 — formation of floating metallic
 films by electrolysis, ii, 267.

N.

- Nagoaka, M. See Kellner.
 Nasini, R., relation of the critical co-
 efficient to the formula $\frac{n-1}{d}$, ii, 173.

- Nasini, R., and F. Anderlini, refraction
 constants of carbonyl compounds,
 ii, 301.
 — analysis of water from the
 hot springs of Monte Irone, Abano,
 ii, 422.
 Nasini, R., and G. Carrara, refraction
 constants of oxygen, sulphur,
 and nitrogen in heterocyclic nuclei,
 ii, 302.
 Nass, G., estimation of manganese,
 magnesium zinc, cobalt and nickel,
 ii, 482.
 Nathanson, F., intramolecular change
 of phthalides into derivatives of α -
 diketohydrindene, i, 37.
 Natterer, K., water and sea-bottom
 deposits from the Eastern Mediter-
 ranean, ii, 102.
 Nef, J. U., 1 : 3-diketones, i, 31.
 Nencki, M., synthesis of aromatic hy-
 droxy-ketones, i, 85.
 — synthesis of aromatic hydroxy
 bases, i, 518.
 Nernst, W., dielectric constants and
 chemical equilibrium, ii, 266.
 — crystalline structure, ii, 276.
 — dissociation of water, ii, 343.
 — determination of dielectric con-
 stants, ii, 437.
 — change of free energy on mixing
 concentrated solutions, ii, 444.
 Neuberger, A. See Paal.
 Neufeld, C. A., analysis of lard,
 ii, 125.
 Neumann, A. See Kossel.
 Neumann, B., potential of hydrogen
 and some metals, ii, 373.
 Neumann, G., detection of aluminium,
 ii, 298.
 Neumann, J., effect of calcium phos-
 phate in food on the ash of milk,
 ii, 246.
 — assimilation of inorganic sub-
 stances, ii, 324.
 Neumann, O. See Zincke.
 Neumeister, R., proteolytic ferments
 in seedlings, ii, 290.
 Neville, F. H. See Heycock.
 Ney, E. See Jacobson.
 Nickel, E., colour reaction of phenyl-
 hydrazine on lignin and aldehydes,
 ii, 72.
 — graphochemistry of oxides and
 their combinations, ii, 88.
 — colour reactions of amines and
 aldehydes without addition of acids,
 ii, 219.
 — graphochemical calculations with
 especial reference to soda-line glasses,
 ii, 235.

- Nickel, E., detection of mineral acids in presence of organic acids, ii, 251.
 — graphochemical calculations of nitrogenous compounds, ii, 348.
 Nicola, F., derivatives of "phenocoll" of paramidophenetoil and of anisidine, i, 515.
 Nicolle, A., estimation of bromine in urine, ii, 159.
 Niementowski, S., synthesis of quino-line-derivatives, i, 259, 427.
 Niemilowicz, L., α -epichlorhydrin-piperidine, i, 342.
 Nietzki, R., and N. Prinz, azimides, i, 126.
 Nietzki, R., and J. Schneider, derivatives of pseudocumene, i, 406.
 Nissenson, H., separation of lead from copper by electrolysis, ii, 120.
 Nobbe F., and L. Hiltner, can non-leguminous plants fix free nitrogen? ii, 470.
 Noel-Paton, D., hepatic glycogenesis, ii, 145.
 Norwall, F. K. v. See Skrapu.
 Nothnagel, G., choline and muscarine, i, 437.
 Nourrisson, C., minimum electromotive force required for the electrolysis of salts of the alkalis, ii, 178.
 Novi, I., estimation of oxygen in the blood, ii, 364.
 Novi, I. See also Albertoni.
 Noyes, A. A., dissociation of potassium hydrogen tartrate, i, 323.
 Noyes, A. A., and A. A. Clement, solubility of potassium hydrogen tartrate in presence of other salts, i, 324.
 Noyes, W. A., nitrites of amines, i, 65.
 — camphoric acid, i, 339.
 Noyes, W. A., and H. H. Ballard, nitrites of certain amines, i, 410.

O.

- Oddo, G., metaphenylenediacetic acid and the corresponding nitrile, i, 193.
 — new camphor derivatives, i, 201.
 — new apparatus for sublimation, ii, 134.
 Oebbeke, K., topaz in the Fichtelgebirge, ii, 55.
 Oechsner de Coninck, isomeric nitrobenzoic acids, i, 289, 333, 464.
 Oehlert, G. J. See Bistrzycki.
 Oettinger, B., condensation of hydrazine with methylacetylacetone, i, 545.
 Oettinger, B. See also Knorr.
 Offenbauer, P. See Stohmann.
 Offermann, H., hydroxyanthraquinones, i, 532.
 Oliveri, V. See Paterno.
 Oliviero, volatile hydrocarbons in essence of valerian, i, 140.
 Ollendorff, A., detection of albumin in urine, ii, 172.
 O'Regan, D. F. See Moore.
 O'Reilly, J. P., Vesuvian in Ireland, ii, 55.
 — serpentine from Bray Head, ii, 56.
 Orndorff, W. R., and J. White, polymeric modifications of acetaldehyde, i, 168.
 Ortoleva, G. See Minunni.
 Osmond, E., alloys of nickel and iron, ii, 283.
 Ostrogovich, A. See Schiff.
 Otto, R., dependence of chemical reaction on the presence of water, i, 35.
 — crystalline form of potassium isocyanate, i, 267.
 — pyruvic acid, i, 274.
 — stereoisomeric- α -methyl- β -chloro-crotonic acids, i, 318.
 — action of hydrogen sulphide on sulphones: influence of solvents on chemical change, i, 376.
 — crystallographic properties of the two stereoisomeric- α -methyl- β -chloro-crotonic acids, i, 401.
 — formation of pyruvic acid in an aqueous solution of tartaric acid independently of micro-organisms, i, 402.
 — solubility of phenylhydrazine in aqueous solutions of alkaline salts, i, 583.

P.

- Paal, C., action of phenylic isocyanate on amido-acids, i, 332.
 — peptone salts of egg albumin, i, 559.
 Paal, C., and O. Commerell, conversion of thiocoumazon into thioquinazolines, i, 476.
 — synthesis of coumothiazone derivatives, i, 476, 622.
 Paal, C., and F. Kretschmer, amidosulphonic acids, i, 365.
 Paal, C., W. Krückeberg, F. Koch, S. Küttner, A. Neuburger, and K. Stolberg, syntheses of quinazolines, i, 210.
 Paal, C., and C. Lückner, derivatives of 2'-phenylindazole, i, 195.
 Paal, C., and H. Senninger, derivatives of orthamidobenzyl alcohol, i, 369.
 — action of ammonia and primary amines on orthohydroxybenzyl alcohol, i, 450.

- Paal, C., and L. Vanzolxem, constitution of Soderbaum and Widman's phenyldihydroketometadiazines and phenyldihydrothiometadiazines, i, 621.
- Paal, C., and J. Weil, isomerism in the quinazoline series, i, 186.
- Packard, R. L., variscite from Utah, ii, 321.
- Palladin, W., vegetable proteids, ii, 631.
- Palladino, P., soluble gums, i, 6.
- caffeine, i, 214.
- Palmer, A. W., dimethylarsine, i, 400.
- Palmer, A. W., and H. S. Grindley, oxidation of pentamidobenzene, i, 20.
- Panfiloff, I., pentahydrates of sodium bromide and sodium iodide, ii, 190.
- Panics, L., preparation of pentadecylic alcohol from palmitic acid, i, 315.
- Pantoli, A. See Menozzi.
- Partheil, A., cytisine and ulexine, i, 558.
- Paschkowetzky, S. See Merz.
- Passy, J., odour of benzoic acid, ii, 247.
- Paternò, E., and F. Crosa, new substance extracted from lichens, i, 541.
- Paternò, E., and V. Oliveri, a polymeride of epichlorhydrin, i, 486.
- Patterson. See Hutchinson.
- Pattinson, J., and H. S. Pattinson, estimation of arsenic and phosphorus in iron ores, ii, 30.
- Paul, B. H., and J. Cownley, ipecacuanha, i, 155.
- Paul, T., fractional precipitation, ii, 348.
- Pauly, H. See Anschutz.
- Pautz, W., the vitreous and aqueous humours, ii, 465.
- Pavy, F. W., glucoside constitution of proteid matter, i, 156.
- Pawlewski, B., reduction of paradinetrodiazoamidobenzene, i, 458.
- Paxton, H. D., estimation of glycerol in wine, ii, 368.
- Peacock, J. C. See Trimble.
- Pearmain, T. H. See Chattaway.
- Pears, A., jute fibre produced in England, TRANS., 470.
- Pécharde, E., complex acids derived from molybdic acid and titanate and zirconic acids, ii, 96.
- combination of molybdenum dioxide and bisulphide with alkali cyanides, ii, 319.
- Pechmann, H. v., modes of formation of formazyl-compounds, i, 239.
- constitution of ethylic acetoacetate, i, 274.
- diazomethane, i, 438.
- Pechmann, H. v., properties and hydrolysis of isomeric amidines, i, 452.
- mixed formazyl-compounds, i, 456.
- Pechmann, H. v., and L. Frobenius, aromatic diazo-compounds and nitrosamines, i, 282.
- paranitrodiazobenzene, i, 282.
- aromatic bisdiaz-compounds, i, 283.
- action of ammonia on diazobenzene, i, 329.
- Pechmann, H. v., and P. Runge, oxidation of formazyl compounds, i, 240.
- decomposition products of formazyl compounds, i, 457.
- Pechmann, H. v., and L. Seeberger, action of phosphorus pentachloride on symmetrical benzoylphenylhydrazine, i, 583.
- Pechmann, H. v., and L. Vanino, action of diazobenzene on acetonedicarboxylic acid, i, 184.
- preparation of the peroxide of the acid radicles, i, 416.
- Peckham, S. F., nitrogen content of Californian bitumen, ii, 456.
- Pélabon, H., combination of hydrogen and selenium in a vessel not uniformly heated, ii, 135.
- influence of pressure on the combination of hydrogen with selenium, ii, 447.
- Pellizzari, G., guanazole and its derivatives, i, 517.
- Pellizzari, G., and G. Cuneo, amidoguanidine and its alkyl-derivatives, i, 373.
- amidoguanidine, i, 516.
- Pemberton, H., estimation of phosphoric acid by titrating the molybdate precipitate, ii, 254.
- Pembrey, M. S., and A. Gürber, respiratory exchange in rabbits, ii, 144.
- Pendlebury, W. H., and Mrs. McKillop, the interaction of hydrogen chloride and potassium chlorate, PROC., 1893, 211.
- Penfield, S. L., canfieldite, a new germanium mineral, i, 18.
- minerals from the manganese mines of St. Marcel, Italy, ii, 55.
- argyrodite and a new sulphostannate of silver from Bolivia, ii, 458.
- methods for the estimation of water, ii, 473.
- Penfield, S. L., and W. T. H. Howe, composition of chondrodite, humite, and clinohumite, ii, 241.
- Penfield, S. L., and D. A. Kreider, separation of minerals of high specific gravity, ii, 456.

- Penfield, S. L., and D. A. Kreider, identity of hydrofranklinite and chalcophanite, ii, 458.
- Penfield, S. L., and J. C. Minor, jun., composition and related physical properties of topaz, ii, 322.
- Penfield, S. L., and J. H. Pratt, composition of staurolite, ii, 142.
- Penfield, S. L. See also Wells.
- Peratoner, A., and F. Finocchiaro, action of sulphuryl chloride on phenols and their ethers, i, 368.
- Perkin, A. G., and F. Cope, derivatives of anthraquinone. Part III. *TRANS.*, 842.
- Perkin, A. G., and J. J. Hummel, colouring and other principles contained in mang-koudu, *TRANS.*, 851.
- the colouring principles of *Ventilago Madraspatana*, *TRANS.*, 923.
- Perkin, W. H., sen., the magnetic rotation of hydrogen chloride in different solvents: and also of sodium chloride and chlorine, *TRANS.*, 20.
- the magnetic rotations of some of the derivatives of fatty acids containing halogens, also of acetic and propionic acids, phosgene, and ethylic carbonate, *TRANS.*, 402.
- the magnetic rotation of compounds supposed to contain acetyl, or to be of ketonic origin. Part II. *TRANS.*, 815.
- Perkin, W. H., jun., the cis- and trans-modifications of 1:2-tetramethylenedicarboxylic acid and of 1:2-pentamethylenedicarboxylic acid, *TRANS.*, 572.
- derivatives of tetramethylene, *TRANS.*, 950.
- hexamethylene dibromide, i, 158.
- Perkin, W. H., jun., and G. Révay, synthesis of indene, hydrindene, and some of their derivatives, *TRANS.*, 228.
- Perkin, W. H., jun. See also Crossley, Goodwin, and Haworth.
- Perl, J., estimation of oil of turpentine in alcohol, ii, 259.
- Perrey, A. See Hautefeuille.
- Perrier, G., organo-metallic compounds, i, 586.
- Persio, G. See Curatolo.
- Pesci, L., constitution of mercurio-phenylamine and of methylphenylmercurammonium hydroxide, i, 248.
- mercury-derivatives from dimethylaniline, i, 248.
- Petersson, W., and H. Sjögren, iron ore deposit in North Sweden, ii, 101.
- Petit, A., and M. Polonovsky, some new tropeines, i, 213.
- eserine, i, 264.
- chloralose, i, 394.
- Petit, P., influence of iron on barley, ii, 157.
- Pfaff, F., balsam of Tamacocaré; a Brazilian vegetable oil, ii, 328.
- Pflüger, E., circulating proteid, ii, 57.
- glycogen, ii, 123.
- Phelps. See Woods.
- Phelps, J. K. See Gooch.
- Philips, A., amidopyridinecarboxylic acid, i, 301.
- anthrapyridinequinones, i, 554.
- Phillips, A. H., analysis of Pele's hair from Hawaii, ii, 356.
- Phillips, F. C., action of chlorine on methane in natural gas, i, 393.
- phenomena of oxidation and chemical properties of gases, ii, 293, 294, 367.
- composition and origin of natural gas, ii, 387.
- quantitative analysis of natural gas, ii, 401.
- Phisalix, C., red pigment of *Pyrrhocris apertus*, i, 543.
- Piccinini, A., mercury-derivatives from diethylaniline, i, 249.
- Piccinini, A. See also Gibertini.
- Pickering, S. U., examination of some recent freezing point determinations, *TRANS.*, 293.
- hydrates of hydrogen iodide, ii, 11.
- the hydrate theory, ii, 133.
- hydrates of hydrogen bromide, ii, 232.
- densities of solutions of soda and potash, ii, 308.
- Picton, H. See Linder.
- Pieszczeck, E., detection of iodic acid in nitric acid, ii, 29.
- Pigeon, L., haloid compounds of platinum, ii, 455.
- Piloty, O., quantitative analysis by electrolysis, ii, 162.
- Piners, M., topazolite and melanite, ii, 242.
- Pinner, A., action of hydrazine on imido-ethers, i, 385.
- nicotine (metanicotine), i, 388.
- Pinnow, J., and G. Pistor, action of aldehydes on nitroso-derivatives, i, 281.
- Pirsson, L. V., phonolitic rocks from Black Hills, ii, 323.
- Pirsson, L. V., and H. L. Wells, leadhillite in Missouri, ii, 458.
- Pissarjewsky, L. See Melikoff.
- Pistor, G. See Pinnow.

Pizzi, A., Pennetier's method for detecting margarine in butter, ii, 75.
 — butter fat, ii, 368.
 Plancher, G., parachlorobromocymene and its oxidation products, i, 17.
 — preparation of parabromothymol, i, 19.
 Platner, W., and R. Behrend, benzophenoneoxime from bisnitrosylbenzhydryl, i, 335.
 Platten, F., estimation of arsenic in copper, ii, 330.
 Plimpton, R. T. and M. W. Travers, metallic derivatives of acetylene. I. Mercuric acetylide, TRANS., 264.
 Plöchl, J. See Miller.
 Pohl, J., oxidation of methylic and ethylic alcohols in the organism, ii, 21.
 Poleck, T., jalapin, i, 471.
 — sodium peroxide, ii, 316.
 Pollak, J., amido-derivatives of phloroglucinol, i, 22.
 Polonovsky, M. See Petit.
 Pomeranz, C., synthesis of isoquinoline and its derivatives, i, 552.
 Pond, G. G., apparatus for the rapid estimation of combustible gases, ii, 258.
 Ponsot, A., determination of the reduction of the freezing point of solutions, ii, 342.
 Ponzio, G., composition of rape oil, i, 115.
 Ponzio, G. See also Fileti.
 Pope, W. J. See Kipping.
 Popoff, P. M., action of digestive ferments on nucleic compounds, ii, 144.
 Porshneff, G. I., gaseous nitrogen trioxide, ii, 413.
 Posner, T. See Gabriel.
 Potilitzin, A. L., supersaturated solutions, ii, 39.
 — hemihydrate of calcium sulphate, ii, 44.
 Poulene, C., lithium fluoride, ii, 234.
 Poulton, E. B., colour of lepidopterous larvae, ii, 147.
 Prager, estimation of sugar by Fehling's solution, ii, 487.
 Pratt, J. H., estimation of ferrous iron in silicates, ii, 482.
 Pratt, J. H. See also Penfield.
 Prausnitz, W. See Menicanti.
 Prelinger, O., manganese, ii, 49.
 Pribram, R., rotatory power of tartrates, i, 229.
 Prinz, N. See Nietzki.
 Priwoznik, E., meteorites of Knyahinya and Hainholz, ii, 243.

Prunier, L., separation and estimation of small quantities of methylic and ethylic alcohols, ii, 431.
 Pulvermacher, G., formaldehyde, i, 12.
 — derivatives of thiosemicarbazide, i, 76, 304.
 Pum, G., action of sodium ethoxide on ethylic dibromosuccinate, i, 15.
 Purgotti, A., reduction products of benzilehydrazone, i, 136.
 — action of picrylic chloride on hydrazine hydrate, i, 372.
 Pusch, M., isosuccinic acid and isomalic acid, i, 497.

R.

Rabinerson, J. See Michaelis.
 Ramsay, W., and J. Shields, variation of molecular surface energy with temperature, ii, 179.
 Ramsay, W. See also Aston.
 Ransom, J. H. See Smith.
 Raoult, F. M., densities of saturated vapours and their relation to the laws of solidification and vaporisation of solvent, ii, 130.
 Ratenau, A. S. See Graebe.
 Raumer, E. v., composition of honey dew and its influence on the constitution of honey, ii, 469.
 Ravizza, F., action of calcium sulphite and of hydrogen potassium sulphite on alcoholic fermentation, ii, 151.
 Read, A. A., behaviour of the more stable oxides at high temperatures, TRANS., 313.
 Read, A. A. See also Arnold.
 Rebufatt, O., composition of some mortars, ii, 234.
 Recklinghausen, M. v., researches on gas reactions, ii, 412.
 Recoura, A., molecular transformations of some chromium compounds, ii, 382.
 Redzko, V., isostilbene, i, 251.
 Rühländer, P., oxazolines and thiazolines of the anisic-series, i, 619.
 Reichard, C., action of potassium hydrogen arsenite on the salts of the metals, ii, 350.
 Reichert, E. T. See Gibbs.
 Reid, E. W., secretion of *Myxine glutinosa*, ii, 148.
 Reinhard, K. See Claus.
 Reinhardt, O. See Friedländer.
 Reinitzer, B., artificial trona, ii, 142.
 Reinke, O., amount of maltose and the fermentability of wort and other extracts, i, 113.

- Reissert, A., octahydro-1:8-naphthyridine and 2 ω -amidopropylpiperidone, i, 385.
 — hydronaphtholines, i, 626.
 Reitzenstein, F. See Wislicenus.
 Remsen, I., action of phosphorus pentachloride on benzoic sulphinide, i, 37.
 Renard, A., pine tar, i, 612.
 Rennie, H. W., and W. H. Derrick, assay of tin ores, ii, 70.
 Retgers, J. W., conversion of yellow into red phosphorus, ii, 41.
 — isomorphism, ii, 85, 348.
 — the yellow modification of arsenic, ii, 314.
 Reuter, B. See Knorr.
 Révay, G. See Perkin.
 Rey Pailhade, J. de, action of alcohol and sulphur on yeast, ii, 62.
 — chemical properties of the alcoholic extract of beer yeast, ii, 205.
 Rheineck, H., chemical nature of axinite, ii, 55.
 Richards, T. W., atomic weight of barium, ii, 281.
 Richards, T. W., and E. F. Rogers, occlusion of gases by metallic oxides, ii, 45.
 Richards, T. W., and H. G. Shaw, cuprammonium double salts, i, 113.
 Richardson, A., action of light on oxalic acid. TRANS., 450.
 Richet, C., respiratory exchange in shivering, ii, 57.
 — formation of urea in the liver, ii, 359.
 Richet, C. See also Chassevant, Hanriot.
 Richmond, H. D., estimation of the strength of sulphuric acid, ii, 364.
 Riddle, W. See Meyer.
 Rideal, S., and H. J. Bult, sodium peroxide in water analysis, ii, 72.
 Riegler, E., estimation of urea, ii, 166.
 Rimbach, E., relation of saccharimeter degrees to angular degrees, ii, 486.
 Ringer, S., and H. Sainsbury, action of salts on *Tubifex rivulorum*, ii, 247.
 Ritter, A., proteid metabolism, ii, 324.
 Roberts, Miss C. F., blue iodide of starch, i, 398.
 — action of reducing agents on iodic acid, ii, 446.
 Roberts, J. P., and H. H. Wing, results of feeding cows at grass on meal, ii, 59.
 Robertson, S., β -naphtholcarboxylic acid (m. p. 216) and its derivatives, i, 137.
 Robinson, N., sources of error in potash estimations, ii, 399.
 Robson, J., extraction of the gases dissolved in water, ii, 28.
 Rodger, J. W. See Thorpe.
 Roelofsen, J. A., solubility of potassium hydrogen tartrate in alcohol of various strengths, i, 442.
 — iodine absorption of some of the rarer fatty oils, ii, 402.
 Roger, H., variations of glycogenia in anthrax, ii, 60.
 Rogers, E. F. See Richards.
 Rohde, G. See Miller.
 Rolfe, J. F. See Chapman.
 Roloff, M., photochemical action in solutions, ii, 221.
 Romijn, G., estimation of dissolved oxygen, ii, 28.
 Roos, A. See Krafft.
 Roosen, P. See Claisen.
 Roozeboom, H. W. B., equilibrium in solutions with two and three components, ii, 9.
 Rose, E. See Jannasch.
 Rose, F. See Kohlrausch.
 Rosenfeld, M., action of sodium on water, ii, 138.
 Rosengarten, G. D., condensation of hydrazine with acetylacetone, ethylic acetylacetoacetate, and ethylic ethylideneacetoacetate, i, 546.
 Rosenheim, T., proteid-poor nutrition, ii, 57.
 Rosenstein, W. See Freund.
 Rosenstiehl, A., constitution of rosanilines, i, 197.
 — constitution of triphenylmethane dyes, i, 335.
 — blue-coloration produced by the action of acids on leucauramines, i, 373.
 — the coloured and colourless derivatives of di- and tri-phenylmethane, i, 467.
 — constitution of the rosanilines, i, 467.
 Ross, B. B., electrolytic estimation of copper in invert sugar determinations, ii, 254.
 — direct estimation of citrate soluble phosphoric acid, ii, 365.
 Rosel, A., and L. Frank, preparation of phosphorus by aid of aluminium: action of aluminium on sulphates and chlorides, ii, 136.
 — decomposition of sodium peroxide by aluminium, ii, 138.
 Rothenburg, R. v., pyrazolidone, i, 145.
 — ethylic succinocuccinate and hydrazine, i, 260.
 — action of hydrazine hydrate on ethylic cyanacetate and malononitrile, i, 272.

Rothenburg, R. v., acid imides and hydrazine hydrate, i, 285.
 — 5-methylpyrazole, i, 344.
 — 5-phenylpyrazoline, i, 348.
 — pyrazolone-reactions, i, 349.
 — pyrazolones from phenylpropionic acid and their azo-derivatives, i, 349.
 — pyrazolones from dehydracetic and coumalinic acids, i, 350.
 — isomeric *n*-phenylpyrazolones, i, 350, 385, 429.
 — nomenclature of the pyrazolones, i, 350.
 — cyanacetophenone and hydroxylamine, i, 384.
 — 3:5-dimethylpyrazole, i, 384.
 — pyrazolone from β -aldoximeacetic acid, i, 385.
 — pyrazolone and isopyrazolone, i, 622.
 — phenylisozazoloneimide, i, 623.
 Rousseau, G., and H. Allaire, chlorinated boracites, ii, 413.
 — — bromoborates, ii, 447.
 Rouvier, G., combination of iodine with starch, i, 63, 353.
 Rowland, H. A., separation of the rare earths, ii, 449.
 Rubner, M., source of animal heat, ii, 104.
 Rudolf, F., action of carbonyl chloride on picramic acid, i, 118.
 Rüdorff, F., electrolytic analyses, ii, 120, 399.
 Rüdtt, H. See Gattermann.
 Rügheimer, L., synthesis of pyridine-derivatives from aldehyde and benzoylpiperidine, i, 549.
 Rügheimer, L., and K. Döring, the isomeric toluyaldehydes and benzoylpiperidine, i, 550.
 Rügheimer, L., and W. Herzfeld, cuminaldehyde and benzoylpiperidine, i, 550.
 Rügheimer, L., and W. Kronthal, 3-benzoylpyridine-5-carboxylic acid: the position of the benzyl group in dibenzylpyridine, i, 550.
 Rügheimer, L., and A. Küsel, hipuroflavin, i, 55.
 Ruifle, J., assay of copper sulphate, ii, 68.
 Ruhemann, S., action of ethylic bromalkylmalonates on ethylic sodiomalonnate, i, 14.
 — pyridine-series, i, 424.
 — isopyrazolones, i, 476.
 Ruhemann, S., and F. E. Allhusen, formation of pyrroline-derivatives from aconitic acid, TRANS, 9.
 — — conversion of citrazinamide into phenylpyrazolonecarboxylic acid, i, 260.

Ruhemann, S., and R. S. Morrell, constitution of phenylpyrazolone, i, 384.
 Ruizand, action of sodium peroxide on natural and artificial colouring matter of wine, ii, 170.
 Ruizand, L., estimation of albumin by Mehu's process, ii, 432.
 Runge, C. See Kayser.
 Runge, P. See Pechmann.
 Rupe, H., ureides of α -ketone-alcohols, i, 241.
 Rupe, H. See also Manasse.
 Ruppel, W. G., protagon, ii, 325.
 — chemical composition of a fatty tumour, ii, 326.
 — fats of human milk, ii, 326.
 Ruppin, E., the volume changes of acids and bases on neutralisation, ii, 409.
 Ruspaggiari, G., mercury-derivatives from ethylaniline, i, 249.
 Russell, E. J., preparation of cuprous oxide, ii, 93.

S.

Sabatier, P., absorption spectra of copper bromide, ii, 304.
 — copper bromide, ii, 352.
 — absorption spectra of solutions of copper bromide in hydrobromic acid, ii, 373.
 — hydrobromide of copper bromide and a red copper potassium bromide, ii, 418.
 — a test for copper, ii, 430.
 Sabatier, P., and J. B. Senderens, action of nitric peroxide on metals and metallic oxides, ii, 90.
 — — nitro-metals, ii, 95.
 Sachsse, R., and A. Becker, decomposition of silicates by ferrous and manganese oxides, ii, 477.
 Sainsbury, H. See Ringer.
 Saint Martin, L. de, presence of hydrogen and methane in the residual nitrogen from blood, ii, 463.
 Sakurai, J., constitution of glycocine and its derivatives, PROC., 1894, 90.
 Salkowski, E., albumin of the hen's egg, i, 214.
 — carbohydrates of yeast, i, 222.
 — yeast-gum, i, 316.
 — fermentation and carbohydrates in urine, ii, 60.
 — behaviour of the phosphorus in the digestion of casein, ii, 244.
 — diastatic ferment of the liver, ii, 359.
 — acetone in urine, ii, 370.

- Salkowski, E., peptone in urine, ii, 372.
 — formation of sulphuric acid in the organism, ii, 466.
 Salkowski, H., thiocarbamides, i, 11, 69.
 Salonina, W., action of sodium on γ -bromopropylphenyl ether, i, 119.
 Salzer, T., citric acid and its alkali salts, i, 362.
 — borax as a basis for alkalimetry, ii, 27.
 — reaction of sulphur and of the halogens with normal sodium pyrophosphate, ii, 350.
 Samelson, volumetric sugar estimations, ii, 334.
 — detection of adulteration in lard, ii, 335.
 Sanctis, J. de, aliphatic acids of lanolin, i, 274.
 Sandlund, H., detection of iodine in urine, ii, 429.
 Saniter, E. H., estimation of manganese in minerals and metals, ii, 333.
 Santesson, H., and C. G. Santesson, blay-hitam: a Malayan arrow poison, ii, 328.
 Sapojnikoff, V., electrical conductivity of formic acid, i, 66; ii, 406.
 Sargent, G. W. See Smith.
 Sauer, A., microcline and hornblende from Durbach, ii, 460.
 Saunders, E. R. See Greenwood.
 Savelieff, N., influence of decomposition of proteid on the output of neutral sulphur, ii, 360.
 Sawyer, H. E. See Hill.
 Saytzeff, N., sulphuretted water from Alexeiewsk, ii, 102.
 Scarisbrick, J., spirit assaying by weight, ii, 163.
 Schacht, C., and E. Biltz, decomposition of chloroform, i, 61.
 Schär, E., alkaloid-like reactions of acetanilide, ii, 403.
 Schaerges, test for cocaine, ii, 127.
 Schall, C., action of sulphurous anhydride on sodium phenoxide, i, 36.
 — physical modification of β -carbodiphenylimide and β -carbodiparatolylimide, i, 135.
 — brazilin, i, 257.
 — stereoisomerism of carbodiphenylimides and carboditolylimides, i, 598.
 — determination of vapour densities: production of a vacuum, ii, 409.
 — decrease of conductivity when the water of solution is replaced by alcohol, ii, 439.
 Schaum, C. See Zincke.
 Schedler, A. See Claus.
 Scheibler, C., and H. Mittelmeier, starch, i, 107.
 Scheidt, M. See Knorr.
 Schenck, F., sugar in the blood, ii, 122.
 Schencke, V., estimation of nitrogen in manures containing nitrates, ii, 67.
 Schiff, H., derivatives of triacetylgallic acid, i, 35.
 — phosphorus pentachloride and tungstic anhydride, ii, 454.
 Schiff, H., and A. Ostrogovich, carbamide derivatives of paraphenylenediamine, i, 236.
 — reactions of orthotolidine, i, 281.
 — ureides of phenyloxamethane, i, 333.
 Schjerning, H., quantitative separation of the amorphous nitrogenous compounds in beer wort, ii, 371.
 Schlamp, A., dissociation in solution, ii, 376.
 Schlieper, F. W., elimination of halogens from substituted phenols, i, 18.
 Schloesing, T., jun., exchange of carbonic anhydride and oxygen between plants and air, ii, 110.
 Schmidt, C. See Schraube.
 Schmidt, E., hydrastine, i, 389.
 — canadine: a third alkaloid from the root of *Hydrastis canadensis*, i, 479.
 Schmidt, F. W., employment of ammoniacal mercuric cyanide in quantitative analysis, ii, 160.
 — estimation of nickel by means of mercuric ammonium cyanide, ii, 401.
 Schmidt, R., effect of hydrogen cyanide on different insects, ii, 247.
 Schmidt, W. See Zincke.
 Schmitt, G. See Witt.
 Schmitz, J. See Behrend.
 Schmitz, K., putrefaction of proteid in the intestines, ii, 392.
 Schmucker, S. C., electrolytic separation of metals of the second group, ii, 121.
 Schneegans, A., method for obtaining carbamides containing tertiary alkyl radicles, i, 405.
 Schneider, J. See Nietzki.
 Schneider, L., analysis of steel, ii, 162.
 Schneider, R., action of water on disodium platinum thioplatinate: new thioplatinum salts, ii, 98.
 Schöndorff, B., how does proteid nutrition influence proteid metabolism in animal cells? ii, 58.

- Schöne, E., occurrence of hydrogen peroxide in the atmosphere, and in atmospheric discharges, ii, 88, 277, 311.
- Schöpf, M., phenonaphthacridine, i, 41.
- symmetrical diamidoacidone, i, 598.
- condensation with formaldehyde, i, 600.
- Schorm, J., coniine and its compounds, i, 388.
- Schrader, H. See Wallach.
- Schranzhofer, F., action of methylic iodide on papaverinic acid, i, 59, 151.
- Schraube, C., and C. Schmidt, diazo-compounds and nitrosamines, i, 237.
- Schroeter, G. See Michaelis.
- Schrotter, H., albumose, i, 215.
- Schubert, P., action of chloral on aldehyde-collidine, i, 208.
- Schütte, H. See Fischer.
- Schütz, E., sarcolactic acid in pathological urines, ii, 393.
- Schuftan, A., reduction and condensation of thiazoles, i, 383.
- Schulz, H., sulphur in human and animal tissues, ii, 58, 288.
- estimation of total sulphur in urine, ii, 476.
- Schulz, M., and B. Tollens, compounds of formaldehyde with polyhydric alcohols, i, 438.
- Schulz, O., and G. Schwalbach, chemical composition of a lipoma, ii, 108.
- Schulz, W. v., chionanthin, i, 206.
- Schulze, C. See Ebstein.
- Schulze, E., vegetable cell membranes, ii, 250.
- Schulze, E., and S. Frankfurt, cane sugar in seeds of plants: raffinose in wheat germs: crystalline levulin, ii, 154.
- — — lecithin in vegetable substances, ii, 155.
- — — occurrence of trigonelline in peas and hemp seed, ii, 291.
- Schulze, G. See Michaelis.
- Schumacher, W. See Fritsch.
- Schunck, E., E. Knecht, and L. Marchlewski, a colouring matter in vine leaves, i, 258.
- Schunck, E., and L. Marchlewski, notes on madder colouring matters, *TRANS.*, 182.
- — — datiscin and its decomposition products, i, 142.
- — — isolation of sugars from glucosides, i, 340.
- Schunck, E., and L. Marchlewski, action of bromine on datiscetin, i, 340.
- — — chlorophyll, i, 341.
- — — anthraquinoneoxime, i, 610.
- Schuncke, J., solubility of ethylic ether, ii, 378.
- Schuster, A., action of copper sulphate and sulphuric acid on metallic copper, ii, 318.
- Schuster, C. A., relation between the optical rotatory power of cinchonidine and its salts: influence of the solvent on the rotation, i, 99.
- Schwalbach, G. See Schulz.
- Schwanert, H., henbane seed oil, ii, 364.
- Schwarz, C. See Jacobson.
- Schwarz, H., elastic substance of the aorta, ii, 146.
- Schwerin, E., action of sodium ethoxide on ethylic phthalate and ketones and on ethylic phthalate and ethylic succinate, i, 194.
- Schwiening, H., ferment processes in organs, ii, 359.
- Sebor, G., antimony-blue, i, 3.
- Seeberger, L. See Pechmann.
- Seekamp, W., decomposition of tartaric and citric acids by sunlight, i, 323.
- Seelig, stereochemistry, ii, 184.
- Seelig, E., nomenclature, i, 353.
- Seeliger, R., estimation of ferric manganous, calcium, and magnesium phosphates, ii, 255.
- Seifert, W., vitin and the wax compounds of American grapes and their hybrids, i, 256.
- substances occurring with the waxy matters of some fruits and their skins, ii, 469.
- Selivanoff, T., chlorides and iodides of nitrogen, ii, 312.
- Sell, W. J., and T. H. Easterfield, studies on citrazinic acid, *TRANS.*, 828.
- Sell, W. J. See also Easterfield.
- Semmler, F. W., tanacetone and its relation to thujone, i, 339.
- linalolene, i, 611.
- Semmler, F. W. See also Tiemann.
- Senderens, J. B. See Sabatier.
- Senfter, L., and J. Tafel, γ -phenylpropylamine and its conversion into alkylbenzene, i, 579.
- — — γ -amidovaleric acid and methylpyrrolidone, i, 617.
- Senninger, H. See Paal.
- Sestini, F., copper in various parts of the vine, ii, 154.
- Sestini, Q. See Antony.

- Seubert, K., action of ferric salts on iodides, ii, 140.
- Seubert, K., and A. Dorrer, action of ferric chloride on potassium iodide and on hydriodic acid, ii, 140, 191.
- Severini, O., action of halogens on 1-phenylpyrazole, i, 145.
- Seyewitz, A. See Lumière.
- Shaw, H. G. See Richards.
- Shields, J., strength of orthosulphobenzoic acid, i, 133.
- Shields, J. See also Ramsay.
- Shiloff, P., preparation of hydrogen peroxide, ii, 186.
- Shimer, P. W., estimation of silica in blast furnace slag, ii, 399.
- Shinn, O. L. See Smith.
- Shober, W. B., and F. W. Spanutius, hydrophosphocyanic acid, i, 314.
- Sidersky, D., apparatus for volumetric analysis, ii, 473.
- Silber, P. See Ciamician.
- Silbermann, H., constitution of silk, i, 311.
- Simon, L., isoconiine and asymmetric nitrogen, i, 307.
- action of primary amines of the benzene series on unsymmetrical ketonic compounds, i, 509.
- Sims, W. E. See Holt.
- Sisley, P., tannin, i, 194.
- estimation of tannin, ii, 169.
- Sjögren, H. See Petersson.
- Sjollema, B., condensation of hydrazine with benzoylacetone and ethylic benzoylacetate, i, 546.
- Skraup, Z. H., behaviour of maleic acid when heated, i, 15.
- isomerism in the mucic acid series, i, 15.
- Skraup, Z. H., and F. K. v. Norwall, new compounds of cinchona alkaloids with ethylic iodide, i, 391.
- Skraup, Z. H. See also Fortner.
- Sleeper, J. F., estimation of nickel, ii, 215.
- precipitation of barium sulphate in presence of silica. Decomposition of barium sulphate by hydrofluoric acid, ii, 215.
- Smale, F. J., gas batteries, ii, 436.
- Smetham, A., estimation of iron oxide and alumina in mineral phosphates, ii, 34.
- Smith, A., and J. H. Ransom, two stereoisomeric hydrazones of benzoin, i, 293.
- Smith, A. W. See Mabery.
- Smith, C., the natural oxycelluloses, TRANS., 472.
- note on the estimation of furfural, TRANS., 479.
- Smith, E. A., notes on the cupellation of bismuth silver alloys, TRANS., 624.
- estimation of gold and silver in antimony or bismuth, ii, 71.
- Smith, E. F., separation of copper from bismuth, ii, 70.
- electrolytic separations, ii, 254.
- Smith, E. F., and P. Heyl, employment of mercuric oxide in analysis, ii, 479.
- Smith, E. F., and J. G. Hibbs, action of hydrogen chloride on sodium vanadate, ii, 455.
- Smith, E. F., and P. Maas, atomic weight of molybdenum, ii, 51.
- niobium and tantalum, ii, 455.
- Smith, E. F., and G. W. Sargent, action of phosphorus pentachloride on molybdic acid, ii, 384.
- Smith, E. F., and O. L. Shinn, action of molybdenum dioxide on silver salts, ii, 454.
- Smith, E. F., and D. L. Wallace, double bromides of palladium, ii, 385.
- Smith, J. L. See Haldane.
- Smith, S. L., obituary notice of, TRANS., 388.
- Smith, W., preparation of nitrous oxide, ii, 13.
- Smith, W. J., excretion of sulphur, ii, 199.
- Smith, W. R., additive products of the aromatic isocyanides, i, 407.
- Smithells, A., and F. Dent, the structure and chemistry of the cyanogen flame, TRANS., 603.
- Smits, A., magnesium nitride, ii, 16.
- Smoluchowski, T. v., decomposition of α -hydroxynicotinic acid with nascent hydrogen, i, 343.
- Smoluchowski, T. v. See also Herzig.
- Smyth, C. H., alnoite containing melilite, ii, 20.
- Soddy, F. See Hughes.
- Söderbaum, H. G., constitution of platoso-oxalyl compounds, i, 275.
- aromatic tetraketones, i, 288.
- Sörensen, S. P. L., critical studies in preparation exercises, ii, 134.
- preparation of ammonium nitrite, ii, 448.
- Sorel, E., rectification of alcohol, i, 435.
- Sorel, E. See also Joly.
- Southerden, F. See Meldola.
- Spaeth, E., butter testing, ii, 124.
- detection of "saccharin" in wines and beers, ii, 127.
- Spanutius, F. W. See Shober.

- Spica, M., detection of iodates in alkali iodides, ii, 252.
 — analysis of a molybdenum mineral and the existence of a ferrous tetramolybdate, ii, 321.
- Spica, P., benzylthiocarbamides, i, 241.
- Spirgatis, H., scammony resin, i, 540.
- Spring, W., endothermic reactions effected by mechanical force, ii, 275, 444.
- Spüller, J., and S. Kalman, estimation of phosphorus in steel and iron containing silicon, ii, 29.
 — estimation of chromium in ferrochrome, ii, 70.
 — estimation of chromium in chrome-steel and chrome-iron ore, ii, 217.
- Stadelmann, E., occurrence of bile acids, hippuric acid, and benzoic acid in the suprarenal capsules, ii, 23.
- Stadt, H. J. van de, rate of oxidation of hydrogen phosphide, ii, 14.
- Staedel, W., metanitrobenzyl alcohol, i, 574.
 — derivatives of diphenylmethane and of benzophenone, i, 599.
- Stallberg, A. See Küster.
- Stange, O. See Thiele.
- Starling, E. H., lymphagogues, ii, 424.
- Staudenmaier, L., alkali orthophosphates, ii, 137.
- Stauss, W., synthesis of pentamethylenecarboxylic acid, i, 365.
- Stavenhagen, A., potassium arsenite sulphate, ii, 314.
- Stavenhagen, A., and H. Finkenbeiner, behaviour of cinnamic dichloride towards micro-organisms, i, 230.
- Stebbins, J. H., estimation of potassium iodide and sodium acetate in presence of complex organic mixtures, ii, 299.
- Stein, O. See Meyer.
- Stein, V., estimation of crude fibre, ii, 300.
- Steiner, P., absorption of hydrogen by water and aqueous solutions, ii, 345.
- Stengel, A., crystalline form of tetramethylbrazilin, i, 616.
- Stern, A. See Krafft.
- Stern, J., and P. Hirsch, solubility of lead oxide in sugar solutions: estimation of sugar in sweet wines, ii, 260.
- Stewart, A., new synthesis of diketoquinazolines, i, 350.
- Stieglitz, J. See Lengfeld.
- Stobbe, H., synthesis of teraconic acid, i, 15.
- Stobbe, H., and E. Kloeppel, action of sodium ethoxide on benzaldehyde and ethylic succinate, i, 594.
- Stock, A., auramines, i, 185.
- Stock, G., crystals of protein, ii, 206.
- Stock, W. F. K., estimation of beef fat in lard, ii, 125.
- Stoeder, W., assay of *Cortex granati*, ii, 491.
- Stoehr, C., pyrazines, i, 384.
- Stoermer, R., and O. Burkert, piperidylacetyl, i, 556.
- Stohmann, F., C. Kleber, H. Langbein, and P. Offenbauer, heat of combustion of fatty acids, i, 224.
- Stohmann, F., and H. Langbein, hydrogenation of closed chains, ii, 80.
 — thermal changes involved in the formation of amido-acids and nitriles, ii, 340.
- Stohr, F., halogen alkylides of quinic acid, i, 528.
- Stokes, H. N., amidophosphoric acid, i, 267.
 — diamidophosphoric acid and diamidotrihydroxyphosphoric acid, ii, 188.
- Stolberg, K. See Paal.
- Stolz, F., 1-phenylpyrazolone, i, 259.
- Stone, W. E., acetyl- and benzoyl-derivatives of pentoses, i, 104.
- Stone, W. E., and H. N. McCoy, electrolytic oxidation of glycerol, i, 103.
- Stone, W. E., and W. H. Test, carbohydrates of the fruit of the Kentucky coffee nut tree (*Gymnocladus canadensis*), ii, 111.
- Strasser, R. See Donath.
- Strauss, H., presence of ammonia in the stomach and its influence on the estimation of the hydrochloric acid, ii, 21.
- Streatfeild, F. W. See Meldola.
- Streintz, F., thermochemical changes in the secondary cell, ii, 437.
- Strindberg, N., conductivity of solutions, ii, 339.
- Studensky, A., estimation of urobilin in urine, ii, 171.
- Sudborough, J. J., chlorination of aniline, TRANS., 1028.
 — preparation of symmetrical and unsymmetrical tribromobenzoic acids, i, 244.
- Sudborough, J. J. See also Meyer.
- Suida, W. See Lagodzinski, Mauthner.

- Šule, O., applications of Raoult's law at the boiling point of solutions, ii, 227.
 Surawicz, S., physical properties of hydrated and anhydrous compounds, ii, 346.
 Syngros, K. L. See Goldschmidt.

T.

- Taüber, E., partial diazotisation of benzidine, i, 597.
 Tafel, J., oxidation of reduced quinolines, i, 301.
 — behaviour of sodium peroxide towards acids, ii, 233.
 — behaviour of sodium peroxide towards alcohol, ii, 448.
 Tafel, J. See also Beckh, Kann, Senfter.
 Tambor, J. See Kostanecki.
 Tammann, G., molecular weight of hydrogen peroxide, ii, 88.
 — thermal expansion and compressibility of solutions, ii, 224.
 — corresponding solutions, ii, 342.
 — influence of pressure on the properties of solutions, ii, 410.
 Tammann, G., and W. Hirschberg, thermal expansions of solutions in organic solvents, ii, 268.
 Tanatar, S., behaviour of maleic acid on heating, i, 403.
 — formation of hyponitrous acid, ii, 136.
 — reaction between hydroxylamine hydrochloride and sodium nitrite, ii, 136.
 Tanret, levoglucosan, i, 564.
 — picein, a glucoside from the leaves of *Pinus picea*, i, 616.
 — stability of solutions of mercuric chloride, ii, 93.
 — reactions with potassium mercuric iodide and with iodine dissolved in potassium iodide, ii, 167.
 Tarugi, M., butylchloral, i, 354.
 Tasselli, E. See Mariani.
 Tassilly, calcium oxyiodide, ii, 92.
 Tassinari, G., diacid-anilides, i, 285, 513.
 Tcherniac, J., extraction apparatus, ii, 11.
 Tebb, M. C., conversion of maltose into dextrose, ii, 103.
 Teclu, N., apparatus for continuous evolution of gas, ii, 444.
 Teichmann, H. See Haeussermann.
 Test, W. H. See Stone.
 Textor, O., rapid analysis of blast furnace slag, ii, 255.
 Thiele, E. See Krüss.
 Thiele, J., isocyanogen tetrabromide (tetrabromoformalazine), i, 61.
 — tetramethylethylene nitroschloride, i, 217.
 Thiele, J., and K. Heidenreich, triazole derivatives from amidoguanidine, i, 57.
 Thiele, J., and A. Lachman, nitramide, ii, 412.
 Thiele, J., and O. Stange, semicarbazide, i, 165.
 Thiele, J. See also Lachman.
 Thierfelder, H. See Fischer.
 Thirsoff, A. N., trihydrate of lithium iodide, ii, 234.
 Thörner, W., analyses of German mineral waters, ii, 195.
 Thomas, G. L. See Barrell.
 Thomas-Mamert, R., β -dibromopropionic acid, i, 318.
 Thomason, W., analysis of an ancient slag, ii, 420.
 Thompson, W. H., work of the kidney, ii, 107.
 Thoms, H., reaction of copper salts, ii, 480.
 Thomsen, J., ratio of the atomic weights of oxygen and hydrogen, ii, 277.
 — atomic weights, ii, 310.
 Thomson, R. T., phenolphthaleïn as an indicator, ii, 28.
 Thorpe, T. E., the mineral waters of Cheltenham, TRANS., 772.
 Thorpe, T. E., and J. W. Rodger, the supposed relation between the solubility of a gas and the viscosity of its solvent, TRANS., 782.
 Thudichum, J. L. W., the action of benzoic chloride on urine in presence of alkali: formation of benzoic derivatives of urochrome, PROC., 1893, 238.
 Thum, A., hyponitrous acid, ii, 13.
 Thwing, C. B., dielectric constants and chemical constitution, ii, 374.
 Tichvinsky, M., electrolysis of ferrous sulphate, ii, 140.
 Tiemann, F., isosaccharic acid, i, 166.
 — conversion of eugenol into isoeugenol, i, 579.
 Tiemann, F., and P. Krüger, violet perfume, i, 80.
 Tiemann, F., and F. W. Semmler, compounds of the geranaldehyde (citral) series, i, 83.
 Tiemann, F. See also de Laire and Fischer.
 Tietze, H., hexahydroquinolines, i, 427.

Tilden, W. A., and M. O. Forster, action of nitrosyl chloride on unsaturated compounds, *TRANS.*, 324.

Tilden, W. A., and J. H. Millar, note on the action of nitrosyl chloride on amido-derivatives of benzenoid hydrocarbons, *PROC.*, 1894, 59.

Tishtchenko, V., composition of Russian barley, ii, 66.

Tissot, G. See Michael.

Titherley, A. W., sodium, potassium and lithium amides, *TRANS.*, 504.

Töhl, A., new method of preparing iodochlorides, i, 117.

— sulphonation of thiophen and its oxidation by sulphuric acid to a new dithienyl, i, 276.

Tohl, A., and O. Eberhard, action of sulphuric acid on chlorothiophen, i, 117.

— — formation of dithienyl derivatives from thiophen, i, 117.

— — action of sulphuryl chloride on aromatic hydrocarbons, i, 132.

Töhl, A., and F. Framm, sulphopiperidide and its oxidation product sulpho- δ -amidovaleric acid, i, 556.

Toepfer, G., estimation of the acidity of gastric juice, ii, 262.

Toepfer, G. See also Freund.

Tollens, B. See Apel, Schulz.

Torrey, J., detection of chlorine, bromine, and iodine in admixture, ii, 66.

Tóth, J., estimation of yellow phosphorus, ii, 67.

Traube, H., preparation of anhydrous crystalline metallic silicates, ii, 46.

— artificial preparation of beryl, ii, 284.

— artificial zinc oxide and wurtzite, ii, 354.

Traube, W., guanidine derivatives of bibasic acids, i, 7.

— carbamide derivatives of diacetoneamine, i, 170.

— isonitraines, i, 400.

Travers, M. W. See Plimpton.

Treadwell, F. P., mineral water from Gyrenbad, ii, 323.

Trevor, J. E., and F. L. Kortright, reaction-velocities, ii, 347.

Trillat, A., and R. Cambier, action of paraformaldehyde on alcohols in presence of ferric chloride, i, 487.

Trillat, A., and Fayollat, preparation of methylamine: constitution of hexamethylenetetramine, i, 64.

Trimble, H., and J. C. Peacock, canaigre tannin, i, 88.

Trog, H., Peru balsam, i, 423.

Trost, J. See Fischer.

Trowbridge, P. F. See Cambell.

Truman, E. B., apparatus for the extraction for analysis of gases dissolved in water and other liquids, *TRANS.*, 43.

Tschirch, A., detection of copper phylloeyanate in green preserves, ii, 170.

— formation of resins and ethereal oils in plants, ii, 361.

Tsuruta, K., thermal properties of a mixture of carbonic anhydride and nitrogen, ii, 38.

Tunncliffe, F. W. See Brunton.

Turbaba, D., specific gravity of aqueous solutions, ii, 408.

Turi, G. See Antony.

Turner, H. W., gold ores of California, ii, 354.

Tuttle, F. E. See Wallach.

Tutton, A. E., connection between the atomic weight of contained metals and the crystallographical characters of isomorphous salts: a crystallographical study of the normal sulphates of potassium, rubidium, and cesium, *TRANS.*, 628.

Tyndall, J., obituary notice of, *TRANS.*, 389.

Tzuchanoff, N. N., colour, &c., of cupric chloride solutions, ii, 47.

U.

Ulbricht, amount of ethereal thiocarbimides obtained from rape cake, ii, 65.

Ulfers, F., and A. v. Janson, diacetyl-derivatives of certain aromatic amines, i, 179.

Ulfers, F. See also Bistrzycki.

Ullmann, C., titration of caustic liquors containing chlorine, ii, 67.

— oven for the prevention of explosion of sealed tubes, ii, 186.

Ulzer, F., estimation of indigotin in indigo, ii, 169.

Urban, L. C., and E. Kremers, ketones from pinene derivatives, i, 468.

— — the menthol group, i, 468.

V.

Vahle, T., derivatives of α -diphenylsemicarbazide and of α -diphenylthiosemicarbazide, i, 411.

Valenta, E., solubility of silver chloride, bromide, and iodide in inorganic and organic solvents, ii, 418.

Vanino, L., estimation of the acidity of vinegar, ii, 124.

Vanino, L. See also Pechmann.

- Vanvolxem, L. See Paal.
 Vaubel, W., action of nascent bromine on some benzene derivatives, i, 19, 453.
 — the benzene nucleus, i, 325, 501.
 — assay of naphtholsulphonic and naphthylaminesulphonic acids, ii, 74.
 Vedrödi, V., decomposition of proteids, &c., by alkali hydroxides, ii, 371.
 Veley, V. H., the inertness of quicklime. Part II. TRANS., i.
 — phases and conditions of chemical change, ii, 275.
 Venable, F. P., chlorides of zirconium, ii, 385.
 Venturoli, G., volumetric estimation of magnesium, ii, 332.
 Verley, A., preparation of amides, i, 116.
 Verneuil, A., action of sulphuric acid on wood charcoal, i, 217.
 Vernon, H. M., respiratory exchange in cold-blooded animals, ii, 461.
 Verson, E., crystalline substances in silkworms destroyed by muscardine, ii, 150.
 Vial, F., isobutylcinchonine hydrobromide, i, 629.
 Vignon, L., stability of dilute solutions of mercuric chloride, ii, 93, 381.
 Villard, P., composition and heat of formation of the hydrate of nitrous oxide, ii, 278.
 — physical properties of nitrous oxide, ii, 379.
 Villavecchia, V., and G. Fabris, furfuraldehyde as a test for sesame oil, ii, 126.
 Villiers, A., and M. Fayolle, detection of hydrochloric acid, ii, 396.
 — detection of traces of chlorine, ii, 426.
 — detection of hydrobromic acid, ii, 428.
 — estimation of iodine, ii, 428.
 — reaction for aldehydes: differentiation of aldoses and ketoses, ii, 489.
 Vines, S. N., presence of a diastatic ferment in green leaves, ii, 109.
 Viollette, C., butter analysis, ii, 124.
 Vis, G. N. See Claus.
 Vitali, D., passage of chloroform, administered by inhalation into the urine, ii, 149.
 — poisoning by pyrogallol and its detection, ii, 327.
 — volumetric estimation of iodine, iodic acid, and iodates, ii, 474.
 Vizern, volumetric estimation of calcium, strontium, and barium, ii, 161.
 Vollmer, B., electrical conductivity of some salts in ethylic and methylic alcohols, ii, 339.
 Vogel, J. See Kütz.
 Voigtlander, F. See Dennstedt.
 Voit, C., bile and metabolism, ii, 288.
 Voit, F., estimation of the total nitrogen in urine by the Schneider-Seegen method, ii, 476.
 Volek, C., compounds of thorium oxide with phosphoric and vanadic acids, ii, 283.
 Vorlander, D., aniline and ethylic isodibromosuccinate, i, 466.
 — action of ethylic malonate on benzylideneacetone, i, 527.
 Vorster, W. See Krafft.
 Vortmann, G., electrolytic estimations and separations, ii, 34.
 — electrolytic estimation of the halogens, ii, 426.
 Voss, A. See Bamberger.
 Vries, H. J. F. de, salts of phenylhydrazine, i, 414.

W.

- Wachs, R., quercitrin and allied compounds, i, 299.
 Wagner, G., oxidation of cyclic compounds, i, 469, 610.
 — synthesis of unsaturated alcohols, i, 563.
 Wagner, J., colour of the ions, ii, 8.
 Walbaum, H. See Bertram.
 Waldbott, S., volatility of borax, ii, 380.
 — volatility of sodium fluoride, ii, 380.
 Walden, P. See Bischoff.
 Walden, P. T. See Wells.
 Walker, C., condensation products of aromatic hydrazides of ethylic acetoacetate: indole and pyrazole-derivatives, i, 475.
 Walker, J., the boiling points of homologous compounds. Part I. Simple and mixed ethers, TRANS., 193.
 — the boiling points of homologous compounds. Part II. TRANS., 725.
 — note on the constitution of glycocine, PROC., 1894, 94.
 Walker, T. L., nickeliferous iron pyrites from Sudbury, Ontario, ii, 321.
 Wallace, D. L. See Smith.
 Wallach, O., terpenes and ethereal oils, i, 43.

- Wallach, O., oximes of cycloïd ketones, i, 46.
 — isomerism in the terpene series, i, 140.
 — cycloïd ketoximes: conversion of terpene-derivatives into aliphatic compounds containing the same number of carbon atoms, i, 337.
 — oxidation products of carvole, i, 421.
 Wallach, O., and H. Schrader, the carvone series, i, 536.
 Wallach, O., and F. E. Tuttle, sesquiterpenes, i, 538.
 Waller, A. D., calorimetry, ii, 142.
 Waller, E., and A. J. Moses, nickel arsenide, ii, 98.
 Walsh, J. G., jun. See Hooker.
 Walter, J., preparation of quinoline, i, 473.
 — condensers, ii, 134.
 Walther, R., syntheses with sodium and nitriles, i, 503.
 Warlich, H., calcium oxalate in plants, ii, 65.
 Warren, H. N., production of cyanides, i, 394.
 — solvent action of tartrates on metallic oxides, ii, 254.
 — properties of graphite obtained from various sources, ii, 415.
 — ozonising apparatus, ii, 447.
 Warren, W. H. See Jackson.
 Washbourn, J. W. See Haldane.
 Watson, G., volatility of pyrophosphoric acid, ii, 42.
 Watson, G. C., farmyard manure, ii, 292.
 Weber, C. See Kostanecki.
 Wechsler, A., resacetophenone, i, 521.
 Wechsler, M., separation of volatile fatty acids, i, 12.
 Weger, M., bromo- and hydroxy-derivatives of sebacic acid, i, 359.
 Wegscheider, R., ethylic opianate, i, 35.
 — protocatechuic aldehyde and piperonal, i, 79.
 — estimation of copper as cuprous sulphide, ii, 31.
 Weibull, M., estimation of fat in bread, ii, 263, 369.
 — preservation of milk for estimation of fat, ii, 263.
 Weidenbaum, J., estimation of glyco-gen, ii, 72, 123.
 Weil, H., tetramethyldiamidobenzhydrol, i, 419.
 Weil, J. See Czapek, Paal.
 Weiler, M. See Jannasch.
 Weinlig, K. See Gattermann.
 Weintraud, W., and E. Laves, respiration in cases of *diabetes mellitus*, ii, 423.
 — respiration in a dog after extirpation of the pancreas, ii, 423.
 Weiske, H., asparagine in the nutrition of herbivora, ii, 106.
 — substitution of strontium for calcium in the animal organism, ii, 198.
 — digestibility and nutritive value of various grains, ii, 209.
 — digestibility of normal oats and of oats heated at 100°, effect of feeding with oats on the weight and composition of bones, ii, 286.
 — composition of the skeleton of animals of the same kind and age but of different weights, ii, 287.
 — influence of ferments occurring in vegetables on the nutrition of the organism, ii, 357.
 Weiss, F., ethereal salts of anhydrohippuric acid, i, 87.
 Wells, H. L., cæsium cuprochlorides, ii, 47.
 Wells, H. L., and G. F. Campbell, double haloïds of cæsium with zinc and magnesium, ii, 45.
 Wells, H. L., and L. C. Dupee, cæsium cuprichlorides, ii, 47.
 Wells, H. L., and S. L. Penfield, thallium tri-iodide, ii, 318.
 Wells, H. L., and P. T. Walden, double haloïds of cæsium and cadmium, ii, 45.
 — cæsium cupribromides, ii, 47.
 Wells, H. L. See also Pirsson.
 Wells, J. G. See Morris.
 Welmans, P., stable form of Hübl's iodine solution, ii, 490.
 Welter, A. See Eberhardt.
 Wender, N., furfuraldehyde reactions of alkaloïds, ii, 76.
 — use of methylene-blue for the detection and estimation of sugar in urine, ii, 122.
 Werner, A., dinitrophenyl ethers of oximes, i, 461.
 Werner, A., and H. Buss, benzhydroximic chloride, i, 585.
 Werner, A., and A. Miolati, constitution of inorganic compounds, ii, 407.
 Westesson, J., estimation of nickel in steel, ii, 299.
 Wetz, H. See Eitner.
 Wheeler, H. L., double haloïds of antimony and rubidium, ii, 52.
 White, J. See Orndorff.

- White, W. H. See Haldane.
- Whitfield, A., chemistry of muscle, ii, 358.
- Wichelhaus, H., α - and β -naphthaleneindigo, i, 42.
- crystalline form of β -methylnaphthalene, i, 380.
- Widman, O., new triazole- and triazine-derivatives, i, 57.
- constitution of the triazole- and tetrazole-derivatives prepared by Andreocci and Bladin, i, 58.
- action of cyanogen on α -acydyl-phenylhydrazides, i, 512.
- Wiechell, H., condensation of dichloroacetal with anisoil and phenetoil, i, 507.
- Wiedeburg, O., laws of galvanic polarisation and electrolysis, ii, 223.
- electrolysis, ii, 338.
- Wielandt, W., formation of diketo-quinazolines from substituted anthranilic acids, i, 350.
- Wieler, A., the bleeding of plants, ii, 64.
- Wiesengrund, B., changes during the remelting of lead-tin alloys, ii, 381.
- Wijs, J. J. A., dissociation of water, ii, 82.
- Wildermann, M., non-electrolytic dissociation in solution, ii, 227.
- electrical conductivity of feebly dissociated compounds and the Kohlrausch method, ii, 375.
- new method for determining the electrical conductivity of feebly dissociated compounds, ii, 376.
- Willgerodt, C., naphthylidene iodo-chlorides and moniodosonaphthalenes, i, 295.
- iodoso- and iodoxy-compounds, i, 415.
- iodoso- and iodoxy-derivatives of paradiodobenzene, i, 447.
- stability of iodoso-compounds at ordinary temperatures, i, 447.
- iodosopseudocumene and iodoxy-pseudocumene, i, 503.
- existence of meta- and para-iodosobenzoic acid and of metaiodoxybenzoic acid, i, 590.
- Williams, F., indicators for titrations with standard sulphide solutions, ii, 118.
- Williamson, S. See Bamberger.
- Willstätter, R. See Einhorn.
- Wilson, E. See Hooker, Hopkinson.
- Winder, G. R. See Mason.
- Wing, H. H. See Roberts.
- Winkler, C., artificial trona, ii, 142.
- Winogradsky, S., assimilation of atmospheric nitrogen by microbes, ii, 200.
- Winterstein, E., trehalose, i, 161.
- new carbohydrate from *Boletus edulis*, i, 161.
- constituents of the tissues of fungi, ii, 425.
- Wischewiansky, S. See Freund.
- Wislicenus, W., phloroglucitol, i, 235.
- elimination of carbonic oxide from ethylic oxalacetate and its derivatives, i, 323.
- ethylic phenyloxalacetate and phenylmalonic acid, i, 376.
- action of phenylhydrazine on ethylic benzalmalonate, i, 465.
- Wislicenus, W., and A. Grossmann, ethereal salts of oxalacetic acid, i, 116.
- Wislicenus, W., and F. Reitzenstein, diketohydrindene, i, 133.
- Witt, O. N., and A. Buntrock, products of the reduction of alkylated azo-colours of the naphthalene series, i, 606.
- Witt, O. N., and H. van Helmolte, products of the reduction of alkylated azo-colours of the naphthalene series, i, 606.
- Witt, O. N., and S. Schmitt, naphthylbenzenesulphonamide and naphthyltoluenesulphonamide, i, 608.
- Witter, H. See Bamberger, Buchner.
- Wohl, A., reduction of nitro-compounds, i, 409.
- preparation of aniline, i, 450.
- Wolff, H., compounds of amidoguanidine and sugars, i, 315.
- Wolff, L., pyrazine, i, 548.
- Wolffenstein, R., oxidation of piperidine and of α -pipercoline by hydrogen peroxide, i, 143.
- conium alkaloids, i, 627.
- conine, i, 627.
- Wolkowicz, A., ozone, ii, 41.
- estimation of carbonic anhydride in presence of soluble sulphides, ii, 331.
- Woltering, P. See Hagen.
- Wood, R. W., action of salts on acids, ii, 83.
- affinity constants of weak acids, and the hydrolysis of salts, ii, 378.
- Woods and Phelps, influence of nitrogenous manures on grass, ii, 210.
- Woyczynski, C. v., artificial preparation of the barium and calcium analogues of apatite and of basic slag, ii, 317.
- Wrampelmeyer, E., amount of fluorine in teeth, ii, 22.
- adulteration of basic slag, ii, 119.

Wright, C. R. A., ternary alloys containing aluminium, ii, 419.
 Wurgaft, J., condensation of aldehydes with α -naphthaquinol and α -naphthaquinone, i, 467.
 Wyruboff, G., molecular rotatory polarisation, ii, 177.

Y.

Young, R. A., ground substance of connective tissue, ii, 357.
 Young, S., Van der Waals' corresponding states, ii, 269.
 Young, S. See also Barrell.

Z.

Zacharias, E., chemical nature of cytoplasm and cell nucleus, ii, 111.
 Zakrzewski, S. v. See Friedländer.
 Zalzowiecki, R., terpene-like hydrocarbons in petroleum, i, 611.
 Zanetti, C. U., derivatives of acetylacetone, i, 109.
 Zawalkiewicz, Z., apparatus for determining the sp. gr. of soft fats, ii, 270.
 Zecchini, F., rotatory power of coniine and its salts, i, 262.
 — abnormal increase in the refractive power of aromatic bases, ii, 2.
 — refractive powers of some organic phosphorus compounds, ii, 221.
 Zega, A., colorimetric estimation of iron, ii, 215.

Zehnder, L., sodium nitride, ii, 317.
 Zeisel, S. See Herzig.
 Zeitlin, M. See Friedländer.
 Zelinsky, N. D., sulphydric fermentation in the Black Sea, ii, 200.
 Zellner, J., derivatives of δ -hydroxycaproic acid, i, 318.
 Zengelis, K., electromotive forces of insoluble and complex salts, ii, 4.
 Zenoni, M., action of β -naphthol and α - and β -naphthylamines on the nitrobenzaldehydes, i, 136.
 — action of naphthylamines on nitrobenzaldehydes, i, 198.
 Zettel, T., action of nitrous acid on amidoparadichlorobenzene, i, 22.
 Zimmermann, L., estimation of phenol, ii, 259.
 Zincke, T., conversion of orthodiketochlorides into chlorinated ketopentenes, i, 230.
 — action of chlorine on ortho- and para-diamines, i, 234.
 Zincke, T., and O. Neumann, action of methylic alcohol on nitro- β -naphthaquinone, i, 296.
 Zincke, T., and C. Schaum, ketochlorides derived from phenol, i, 231.
 Zincke, T., and W. Schmidt, action of bleaching powder and of hypochlorous acid on quinones, i, 289.
 Zoja, L. See Bondzyński.
 Zoppellari, I. See Carrara.
 Zuckoff, α -decanaphthene, i, 160.
 Zuntz, N., nutritive value of sugar, ii, 463.
 Zuntz, N. See also Lehmann.